



Miniaturized downlight with leading optical performance and great diversity

LuxSpace G4

LuxSpace Gen4 is the a new LED downlight range combining light comfort and leading performance with luxury looking

Benefits

- Visual comfort;
- Multiple options for various applications;
- Smart lighting

Features

- Miniaturized form factor
- High optical efficiency
- Great product diversity

Application

- Office
- shopping mall
- hotel
- retail

Versions



DN58XB DN59XB D100 D125

DN58XB DN59XB D150 D200

Application Conditions

Ambient temperature range	-20 to +40 °C
Suitable for random switching	Not applicable

Approval and Application

Mech. impact protection code	IK03
------------------------------	------

Operating and Electrical

Input Voltage	220 to 240 V
---------------	--------------

General Information

CE mark	CE mark
Driver included	Yes
Flammability mark	For mounting on normally flammable surfaces
Glow-wire test	Temperature 650 °C, duration 30 s
Light source replaceable	No

Initial Performance (IEC Compliant)

Luminous flux tolerance	+/-10%
-------------------------	--------

Mechanical and Housing

Color	White and black
-------	-----------------

Over Time Performance (IEC Compliant)

Driver failure rate at 5000 h	1 %
Median useful life L80B50	50000 h
Median useful life L90B50	21000 h

Application Conditions

Order Code	Full Product Name	Maximum dim level
911401536641	DN588B LED6/830 PSU C D100 WH WB GC	Not applicable
911401536741	DN588B LED6/840 PSU C D100 WH WB GC	Not applicable
911401536841	DN588B LED6/930 PSU C D100 WH WB GC	Not applicable
911401536941	DN588B LED6/940 PSU C D100 WH WB GC	Not applicable
911401537041	DN588B LED6/830 PSU C D100 WH MB GC	Not applicable
911401537141	DN588B LED6/840 PSU C D100 WH MB GC	Not applicable
911401537241	DN588B LED6/930 PSU C D100 WH MB GC	Not applicable
911401537341	DN588B LED6/940 PSU C D100 WH MB GC	Not applicable
911401537441	DN589B LED10/830 PSU C D125 WH WB GC	Not applicable
911401537541	DN589B LED10/840 PSU C D125 WH WB GC	Not applicable
911401537641	DN589B LED10/930 PSU C D125 WH WB GC	Not applicable
911401537741	DN589B LED10/940 PSU C D125 WH WB GC	Not applicable
911401537841	DN589B LED10/830 PSU C D125 WH MB GC	Not applicable
911401537941	DN589B LED10/840 PSU C D125 WH MB GC	Not applicable
911401538041	DN589B LED10/930 PSU C D125 WH MB GC	Not applicable
911401538141	DN589B LED10/940 PSU C D125 WH MB GC	Not applicable
911401538241	DN589B LED10/830 PSD C D125 WH WB GC	1%
911401538341	DN589B LED10/840 PSD C D125 WH WB GC	1%
911401538441	DN589B LED10/930 PSD C D125 WH WB GC	1%
911401538541	DN589B LED10/940 PSD C D125 WH WB GC	1%
911401538641	DN589B LED10/830 PSD C D125 WH MB GC	1%
911401538741	DN589B LED10/840 PSD C D125 WH MB GC	1%
911401538841	DN589B LED10/930 PSD C D125 WH MB GC	1%
911401538941	DN589B LED10/940 PSD C D125 WH MB GC	1%
911401539041	DN590B LED15/830 PSU C D125 WH WB GC	Not applicable
911401539141	DN590B LED15/840 PSU C D125 WH WB GC	Not applicable
911401539241	DN590B LED15/930 PSU C D125 WH WB GC	Not applicable
911401539341	DN590B LED15/940 PSU C D125 WH WB GC	Not applicable
911401539441	DN590B LED15/830 PSU C D125 WH MB GC	Not applicable
911401539541	DN590B LED15/840 PSU C D125 WH MB GC	Not applicable
911401539641	DN590B LED15/930 PSU C D125 WH MB GC	Not applicable
911401539741	DN590B LED15/940 PSU C D125 WH MB GC	Not applicable
911401539841	DN590B LED15/830 PSD C D125 WH WB GC	1%
911401539941	DN590B LED15/840 PSD C D125 WH WB GC	1%
911401540041	DN590B LED15/930 PSD C D125 WH WB GC	1%

Order Code	Full Product Name	Maximum dim level
911401540141	DN590B LED15/940 PSD C D125 WH WB GC	1%
911401540241	DN590B LED15/830 PSD C D125 WH MB GC	1%
911401540341	DN590B LED15/840 PSD C D125 WH MB GC	1%
911401540441	DN590B LED15/930 PSD C D125 WH MB GC	1%
911401540541	DN590B LED15/940 PSD C D125 WH MB GC	1%
911401540641	DN590B LED15/830 POE C D125 WH WB GC	30%
911401540741	DN590B LED15/840 POE C D125 WH WB GC	30%
911401540941	DN591B LED20/830 PSU C D125 WH WB GC	Not applicable
911401541041	DN591B LED20/840 PSU C D125 WH WB GC	Not applicable
911401541141	DN591B LED20/930 PSU C D125 WH WB GC	Not applicable
911401541241	DN591B LED20/940 PSU C D125 WH WB GC	Not applicable
911401541341	DN591B LED20/830 PSU C D125 WH MB GC	Not applicable
911401541441	DN591B LED20/840 PSU C D125 WH MB GC	Not applicable
911401541541	DN591B LED20/930 PSU C D125 WH MB GC	Not applicable
911401541641	DN591B LED20/940 PSU C D125 WH MB GC	Not applicable
911401541741	DN591B LED20/830 PSD C D125 WH WB GC	1%
911401541841	DN591B LED20/840 PSD C D125 WH WB GC	1%
911401541941	DN591B LED20/930 PSD C D125 WH WB GC	1%
911401542041	DN591B LED20/940 PSD C D125 WH WB GC	1%
911401542141	DN591B LED20/830 PSD C D125 WH MB GC	1%
911401542241	DN591B LED20/840 PSD C D125 WH MB GC	1%
911401542341	DN591B LED20/930 PSD C D125 WH MB GC	1%
911401542441	DN591B LED20/940 PSD C D125 WH MB GC	1%
911401547541	DN588B LED6/830 PSU C D125 C WH WB GM	Not applicable
911401547641	DN588B LED6/840 PSU C D125 C WH WB GM	Not applicable
911401548741	DN588B LED6/840 PSD C D125 WH WB GM	1%
911401549541	DN588B LED6/830 PSU C D125 WH WB WP GM	Not applicable
911401549641	DN588B LED6/840 PSU C D125 WH WB WP GM	Not applicable
911401550541	DN588B LED6/840 PSD C D125 WH WB WP GM	1%
911401540841	DN590B LED20/TWH PSD C D150 WH WB GC	1%
911401542541	DN591B LED20/830 PSU C D150 WH WB GC	Not applicable
911401542641	DN591B LED20/840 PSU C D150 WH WB GC	Not applicable
911401542741	DN591B LED20/930 PSU C D150 WH WB GC	Not applicable
911401542841	DN591B LED20/940 PSU C D150 WH WB GC	Not applicable
911401542941	DN591B LED20/830 PSU C D150 WH MB GC	Not applicable
911401543041	DN591B LED20/840 PSU C D150 WH MB GC	Not applicable
911401543141	DN591B LED20/930 PSU C D150 WH MB GC	Not applicable
911401543241	DN591B LED20/940 PSU C D150 WH MB GC	Not applicable
911401543341	DN591B LED20/830 PSD C D150 WH WB GC	1%
911401543441	DN591B LED20/840 PSD C D150 WH WB GC	1%
911401543541	DN591B LED20/930 PSD C D150 WH WB GC	1%
911401543641	DN591B LED20/940 PSD C D150 WH WB GC	1%
911401543741	DN591B LED20/830 PSD C D150 WH MB GC	1%
911401543841	DN591B LED20/840 PSD C D150 WH MB GC	1%
911401543941	DN591B LED20/930 PSD C D150 WH MB GC	1%
911401544041	DN591B LED20/940 PSD C D150 WH MB GC	1%
911401544141	DN592B LED25/830 PSU C D150 WH WB GC	Not applicable
911401544241	DN592B LED25/840 PSU C D150 WH WB GC	Not applicable
911401544341	DN592B LED25/930 PSU C D150 WH WB GC	Not applicable
911401544441	DN592B LED25/940 PSU C D150 WH WB GC	Not applicable
911401544541	DN592B LED25/830 PSU C D150 WH MB GC	Not applicable
911401544641	DN592B LED25/840 PSU C D150 WH MB GC	Not applicable

Order Code	Full Product Name	Maximum dim level
911401544741	DN592B LED25/930 PSU C D150 WH MB GC	Not applicable
911401544841	DN592B LED25/940 PSU C D150 WH MB GC	Not applicable
911401544941	DN592B LED25/830 PSD C D150 WH WB GC	1%
911401545041	DN592B LED25/840 PSD C D150 WH WB GC	1%
911401545141	DN592B LED25/930 PSD C D150 WH WB GC	1%
911401545241	DN592B LED25/940 PSD C D150 WH WB GC	1%
911401545341	DN592B LED25/830 PSD C D150 WH MB GC	1%
911401545441	DN592B LED25/840 PSD C D150 WH MB GC	1%
911401545541	DN592B LED25/930 PSD C D150 WH MB GC	1%
911401545641	DN592B LED25/940 PSD C D150 WH MB GC	1%
911401545741	DN592B LED25/830 POE C D150 WH WB GC	30%
911401545841	DN592B LED25/840 POE C D150 WH WB GC	30%
911401545941	DN593B LED30/830 PSU C D200 WH WB GC	Not applicable
911401546041	DN593B LED30/840 PSU C D200 WH WB GC	Not applicable
911401546141	DN593B LED30/930 PSU C D200 WH WB GC	Not applicable
911401546241	DN593B LED30/940 PSU C D200 WH WB GC	Not applicable
911401546341	DN593B LED30/830 PSU C D200 WH MB GC	Not applicable
911401546441	DN593B LED30/840 PSU C D200 WH MB GC	Not applicable
911401546541	DN593B LED30/930 PSU C D200 WH MB GC	Not applicable
911401546641	DN593B LED30/940 PSU C D200 WH MB GC	Not applicable
911401546741	DN594B LED40/830 PSU C D200 WH WB GC	Not applicable
911401546841	DN594B LED40/840 PSU C D200 WH WB GC	Not applicable
911401546941	DN594B LED40/930 PSU C D200 WH WB GC	Not applicable
911401547041	DN594B LED40/940 PSU C D200 WH WB GC	Not applicable
911401547141	DN594B LED40/830 PSU C D200 WH MB GC	Not applicable
911401547241	DN594B LED40/840 PSU C D200 WH MB GC	Not applicable
911401547341	DN594B LED40/930 PSU C D200 WH MB GC	Not applicable
911401547441	DN594B LED40/940 PSU C D200 WH MB GC	Not applicable
911401547741	DN589B LED10/830 PSU C D150 WH WB GM	Not applicable
911401547841	DN589B LED10/840 PSU C D150 WH WB GM	Not applicable
911401547941	DN590B LED15/830 PSU C D150 WH WB GM	Not applicable
911401548041	DN590B LED15/840 PSU C D150 WH WB GM	Not applicable
911401548141	DN591B LED20/830 PSU C D200 WH WB GM	Not applicable
911401548241	DN591B LED20/840 PSU C D200 WH WB GM	Not applicable
911401548341	DN593B LED30/830 PSU C D200 WH WB GM	Not applicable
911401548441	DN593B LED30/840 PSU C D200 WH WB GM	Not applicable
911401548541	DN594B LED40/830 PSU C D200 WH WB GM	Not applicable
911401548641	DN594B LED40/840 PSU C D200 WH WB GM	Not applicable
911401548841	DN589B LED10/830 PSD C D150 WH WB GM	1%
911401548941	DN589B LED10/840 PSD C D150 WH WB GM	1%
911401549041	DN590B LED15/840 PSD C D150 WH WB GM	1%
911401549141	DN591B LED20/830 PSD C D200 WH WB GM	1%
911401549241	DN591B LED20/840 PSD C D200 WH WB GM	1%
911401549341	DN593B LED30/840 PSD C D200 WH WB GM	1%
911401549441	DN594B LED40/840 PSD C D200 WH WB GM	1%
911401549741	DN589B LED10/830 PSU C D150 WH WB WP GM	Not applicable
911401549841	DN589B LED10/840 PSU C D150 WH WB WP GM	Not applicable
911401549941	DN590B LED15/830 PSU C D150 WH WB WP GM	Not applicable
911401550041	DN590B LED15/840 PSU C D150 WH WB WP GM	Not applicable
911401550141	DN591B LED20/830 PSU C D200 WH WB WP GM	Not applicable
911401550241	DN591B LED20/840 PSU C D200 WH WB WP GM	Not applicable
911401550341	DN593B LED30/840 PSU C D200 WH WB WP GM	Not applicable

Order Code	Full Product Name	Maximum dim level
911401550441	DN594B LED40/840 PSU C D200 WH WB WP GM	Not applicable
911401550641	DN589B LED10/830 PSD C D150 WH WB WP GM	1%
911401550741	DN589B LED10/840 PSD C D150 WH WB WP GM	1%
911401550841	DN590B LED15/840 PSD C D150 WH WB WP GM	1%
911401550941	DN591B LED20/830 PSD C D200 WH WB WP GM	1%
911401551041	DN591B LED20/840 PSD C D200 WH WB WP GM	1%
911401551141	DN593B LED30/840 PSD C D200 WH WB WP GM	1%
911401551241	DN594B LED40/840 PSD C D200 WH WB WP GM	1%
911401551341	DN589B LED10/830 PSU C D150 WH WB CAU	Not applicable
911401551441	DN589B LED10/840 PSU C D150 WH WB CAU	Not applicable
911401551541	DN590B LED15/840 PSU C D150 WH WB CAU	Not applicable
911401551641	DN591B LED20/830 PSU C D200 WH WB CAU	Not applicable
911401551741	DN591B LED20/840 PSU C D200 WH WB CAU	Not applicable
911401551841	DN593B LED30/840 PSU C D200 WH WB CAU	Not applicable
911401551941	DN594B LED40/840 PSU C D200 WH WB CAU	Not applicable
911401552041	DN589B LED10/830 PSD C D150 WH WB CAU	1%
911401552141	DN589B LED10/840 PSD C D150 WH WB CAU	1%
911401552241	DN590B LED15/840 PSD C D150 WH WB CAU	1%
911401552341	DN591B LED20/830 PSD C D200 WH WB CAU	1%
911401552441	DN591B LED20/840 PSD C D200 WH WB CAU	1%
911401552541	DN593B LED30/840 PSD C D200 WH WB CAU	1%
911401552641	DN594B LED40/840 PSD C D200 WH WB CAU	1%
911401552741	DN589B LED10/830 PSU C D150 WH WB WP CAU	Not applicable
911401552841	DN589B LED10/840 PSU C D150 WH WB WP CAU	Not applicable
911401552941	DN590B LED15/840 PSU C D150 WH WB WP CAU	Not applicable
911401553041	DN591B LED20/830 PSU C D200 WH WB WP CAU	Not applicable
911401553141	DN591B LED20/840 PSU C D200 WH WB WP CAU	Not applicable
911401553241	DN593B LED30/840 PSU C D200 WH WB WP CAU	Not applicable
911401553341	DN594B LED40/840 PSU C D200 WH WB WP CAU	Not applicable
911401553441	DN589B LED10/830 PSD C D150 WH WB WP CAU	1%
911401553541	DN589B LED10/840 PSD C D150 WH WB WP CAU	1%
911401553641	DN590B LED15/840 PSD C D150 WH WB WP CAU	1%
911401553741	DN591B LED20/830 PSD C D200 WH WB WP CAU	1%
911401553841	DN591B LED20/840 PSD C D200 WH WB WP CAU	1%
911401553941	DN593B LED30/840 PSD C D200 WH WB WP CAU	1%
911401554041	DN594B LED40/840 PSD C D200 WH WB WP CAU	1%
911401554141	DN590B LED15/830 POE C D150 WH WB GM	30%
911401554241	DN590B LED15/840 POE C D150 WH WB GM	30%
911401554341	DN592B LED25/830 POE C D200 WH WB GM	30%
911401554441	DN592B LED25/840 POE C D200 WH WB GM	30%

Approval and Application

Order Code	Full Product Name	Ingress protection code	Order Code	Full Product Name	Ingress protection code
911401536641	DN588B LED6/830 PSU C D100 WH WB GC	IP20	911401537441	DN589B LED10/830 PSU C D125 WH WB GC	IP20
911401536741	DN588B LED6/840 PSU C D100 WH WB GC	IP20	911401537541	DN589B LED10/840 PSU C D125 WH WB GC	IP20
911401536841	DN588B LED6/930 PSU C D100 WH WB GC	IP20	911401537641	DN589B LED10/930 PSU C D125 WH WB GC	IP20
911401536941	DN588B LED6/940 PSU C D100 WH WB GC	IP20	911401537741	DN589B LED10/940 PSU C D125 WH WB GC	IP20
911401537041	DN588B LED6/830 PSU C D100 WH MB GC	IP20	911401537841	DN589B LED10/830 PSU C D125 WH MB GC	IP20
911401537141	DN588B LED6/840 PSU C D100 WH MB GC	IP20	911401537941	DN589B LED10/840 PSU C D125 WH MB GC	IP20
911401537241	DN588B LED6/930 PSU C D100 WH MB GC	IP20	911401538041	DN589B LED10/930 PSU C D125 WH MB GC	IP20
911401537341	DN588B LED6/940 PSU C D100 WH MB GC	IP20	911401538141	DN589B LED10/940 PSU C D125 WH MB GC	IP20

Order Code	Full Product Name	Ingress protection code
911401538241	DN589B LED10/830 PSD C D125 WH WB GC	IP20
911401538341	DN589B LED10/840 PSD C D125 WH WB GC	IP20
911401538441	DN589B LED10/930 PSD C D125 WH WB GC	IP20
911401538541	DN589B LED10/940 PSD C D125 WH WB GC	IP20
911401538641	DN589B LED10/830 PSD C D125 WH MB GC	IP20
911401538741	DN589B LED10/840 PSD C D125 WH MB GC	IP20
911401538841	DN589B LED10/930 PSD C D125 WH MB GC	IP20
911401538941	DN589B LED10/940 PSD C D125 WH MB GC	IP20
911401539041	DN590B LED15/830 PSU C D125 WH WB GC	IP20
911401539141	DN590B LED15/840 PSU C D125 WH WB GC	IP20
911401539241	DN590B LED15/930 PSU C D125 WH WB GC	IP20
911401539341	DN590B LED15/940 PSU C D125 WH WB GC	IP20
911401539441	DN590B LED15/830 PSU C D125 WH MB GC	IP20
911401539541	DN590B LED15/840 PSU C D125 WH MB GC	IP20
911401539641	DN590B LED15/930 PSU C D125 WH MB GC	IP20
911401539741	DN590B LED15/940 PSU C D125 WH MB GC	IP20
911401539841	DN590B LED15/830 PSD C D125 WH WB GC	IP20
911401539941	DN590B LED15/840 PSD C D125 WH WB GC	IP20
911401540041	DN590B LED15/930 PSD C D125 WH WB GC	IP20
911401540141	DN590B LED15/940 PSD C D125 WH WB GC	IP20
911401540241	DN590B LED15/830 PSD C D125 WH MB GC	IP20
911401540341	DN590B LED15/840 PSD C D125 WH MB GC	IP20
911401540441	DN590B LED15/930 PSD C D125 WH MB GC	IP20
911401540541	DN590B LED15/940 PSD C D125 WH MB GC	IP20
911401540641	DN590B LED15/830 POE C D125 WH WB GC	IP20
911401540741	DN590B LED15/840 POE C D125 WH WB GC	IP20
911401540941	DN591B LED20/830 PSU C D125 WH WB GC	IP20
911401541041	DN591B LED20/840 PSU C D125 WH WB GC	IP20
911401541141	DN591B LED20/930 PSU C D125 WH WB GC	IP20
911401541241	DN591B LED20/940 PSU C D125 WH WB GC	IP20
911401541341	DN591B LED20/830 PSU C D125 WH MB GC	IP20
911401541441	DN591B LED20/840 PSU C D125 WH MB GC	IP20
911401541541	DN591B LED20/930 PSU C D125 WH MB GC	IP20
911401541641	DN591B LED20/940 PSU C D125 WH MB GC	IP20
911401541741	DN591B LED20/830 PSD C D125 WH WB GC	IP20
911401541841	DN591B LED20/840 PSD C D125 WH WB GC	IP20
911401541941	DN591B LED20/930 PSD C D125 WH WB GC	IP20
911401542041	DN591B LED20/940 PSD C D125 WH WB GC	IP20
911401542141	DN591B LED20/830 PSD C D125 WH MB GC	IP20
911401542241	DN591B LED20/840 PSD C D125 WH MB GC	IP20
911401542341	DN591B LED20/930 PSD C D125 WH MB GC	IP20
911401542441	DN591B LED20/940 PSD C D125 WH MB GC	IP20
911401547541	DN588B LED6/830 PSU C D125 C WH WB GM	IP20
911401547641	DN588B LED6/840 PSU C D125 C WH WB GM	IP20
911401548741	DN588B LED6/840 PSD C D125 WH WB GM	IP20
911401549541	DN588B LED6/830 PSU C D125 WH WB WP GM	IP54/20
911401549641	DN588B LED6/840 PSU C D125 WH WB WP GM	IP54/20
911401550541	DN588B LED6/840 PSD C D125 WH WB WP GM	IP54/20
911401540841	DN590B LED20/TWH PSD C D150 WH WB GC	IP20
911401542541	DN591B LED20/830 PSU C D150 WH WB GC	IP20
911401542641	DN591B LED20/840 PSU C D150 WH WB GC	IP20
911401542741	DN591B LED20/930 PSU C D150 WH WB GC	IP20

Order Code	Full Product Name	Ingress protection code
911401542841	DN591B LED20/940 PSU C D150 WH WB GC	IP20
911401542941	DN591B LED20/830 PSU C D150 WH MB GC	IP20
911401543041	DN591B LED20/840 PSU C D150 WH MB GC	IP20
911401543141	DN591B LED20/930 PSU C D150 WH MB GC	IP20
911401543241	DN591B LED20/940 PSU C D150 WH MB GC	IP20
911401543341	DN591B LED20/830 PSD C D150 WH WB GC	IP20
911401543441	DN591B LED20/840 PSD C D150 WH WB GC	IP20
911401543541	DN591B LED20/930 PSD C D150 WH WB GC	IP20
911401543641	DN591B LED20/940 PSD C D150 WH WB GC	IP20
911401543741	DN591B LED20/830 PSD C D150 WH MB GC	IP20
911401543841	DN591B LED20/840 PSD C D150 WH MB GC	IP20
911401543941	DN591B LED20/930 PSD C D150 WH MB GC	IP20
911401544041	DN591B LED20/940 PSD C D150 WH MB GC	IP20
911401544141	DN592B LED25/830 PSU C D150 WH WB GC	IP20
911401544241	DN592B LED25/840 PSU C D150 WH WB GC	IP20
911401544341	DN592B LED25/930 PSU C D150 WH WB GC	IP20
911401544441	DN592B LED25/940 PSU C D150 WH WB GC	IP20
911401544541	DN592B LED25/830 PSU C D150 WH MB GC	IP20
911401544641	DN592B LED25/840 PSU C D150 WH MB GC	IP20
911401544741	DN592B LED25/930 PSU C D150 WH MB GC	IP20
911401544841	DN592B LED25/940 PSU C D150 WH MB GC	IP20
911401544941	DN592B LED25/830 PSD C D150 WH WB GC	IP20
911401545041	DN592B LED25/840 PSD C D150 WH WB GC	IP20
911401545141	DN592B LED25/930 PSD C D150 WH WB GC	IP20
911401545241	DN592B LED25/940 PSD C D150 WH WB GC	IP20
911401545341	DN592B LED25/830 PSD C D150 WH MB GC	IP20
911401545441	DN592B LED25/840 PSD C D150 WH MB GC	IP20
911401545541	DN592B LED25/930 PSD C D150 WH MB GC	IP20
911401545641	DN592B LED25/940 PSD C D150 WH MB GC	IP20
911401545741	DN592B LED25/830 POE C D150 WH WB GC	IP20
911401545841	DN592B LED25/840 POE C D150 WH WB GC	IP20
911401545941	DN593B LED30/830 PSU C D200 WH WB GC	IP20
911401546041	DN593B LED30/840 PSU C D200 WH WB GC	IP20
911401546141	DN593B LED30/930 PSU C D200 WH WB GC	IP20
911401546241	DN593B LED30/940 PSU C D200 WH WB GC	IP20
911401546341	DN593B LED30/830 PSU C D200 WH MB GC	IP20
911401546441	DN593B LED30/840 PSU C D200 WH MB GC	IP20
911401546541	DN593B LED30/930 PSU C D200 WH MB GC	IP20
911401546641	DN593B LED30/940 PSU C D200 WH MB GC	IP20
911401546741	DN594B LED40/830 PSU C D200 WH WB GC	IP20
911401546841	DN594B LED40/840 PSU C D200 WH WB GC	IP20
911401546941	DN594B LED40/930 PSU C D200 WH WB GC	IP20
911401547041	DN594B LED40/940 PSU C D200 WH WB GC	IP20
911401547141	DN594B LED40/830 PSU C D200 WH MB GC	IP20
911401547241	DN594B LED40/840 PSU C D200 WH MB GC	IP20
911401547341	DN594B LED40/930 PSU C D200 WH MB GC	IP20
911401547441	DN594B LED40/940 PSU C D200 WH MB GC	IP20
911401547741	DN589B LED10/830 PSU C D150 WH WB GM	IP20
911401547841	DN589B LED10/840 PSU C D150 WH WB GM	IP20
911401547941	DN590B LED15/830 PSU C D150 WH WB GM	IP20
911401548041	DN590B LED15/840 PSU C D150 WH WB GM	IP20
911401548141	DN591B LED20/830 PSU C D200 WH WB GM	IP20

Order Code	Full Product Name	Ingress protection code
911401548241	DN591B LED20/840 PSU C D200 WH WB GM	IP20
911401548341	DN593B LED30/830 PSU C D200 WH WB GM	IP20
911401548441	DN593B LED30/840 PSU C D200 WH WB GM	IP20
911401548541	DN594B LED40/830 PSU C D200 WH WB GM	IP20
911401548641	DN594B LED40/840 PSU C D200 WH WB GM	IP20
911401548841	DN589B LED10/830 PSD C D150 WH WB GM	IP20
911401548941	DN589B LED10/840 PSD C D150 WH WB GM	IP20
911401549041	DN590B LED15/840 PSD C D150 WH WB GM	IP20
911401549141	DN591B LED20/830 PSD C D200 WH WB GM	IP20
911401549241	DN591B LED20/840 PSD C D200 WH WB GM	IP20
911401549341	DN593B LED30/840 PSD C D200 WH WB GM	IP20
911401549441	DN594B LED40/840 PSD C D200 WH WB GM	IP20
911401549741	DN589B LED10/830 PSU C D150 WH WB WP GM	IP54/20
911401549841	DN589B LED10/840 PSU C D150 WH WB WP GM	IP54/20
911401549941	DN590B LED15/830 PSU C D150 WH WB WP GM	IP54/20
911401550041	DN590B LED15/840 PSU C D150 WH WB WP GM	IP54/20
911401550141	DN591B LED20/830 PSU C D200 WH WB WP GM	IP54/20
911401550241	DN591B LED20/840 PSU C D200 WH WB WP GM	IP54/20
911401550341	DN593B LED30/840 PSU C D200 WH WB WP GM	IP54/20
911401550441	DN594B LED40/840 PSU C D200 WH WB WP GM	IP54/20
911401550641	DN589B LED10/830 PSD C D150 WH WB WP GM	IP54/20
911401550741	DN589B LED10/840 PSD C D150 WH WB WP GM	IP54/20
911401550841	DN590B LED15/840 PSD C D150 WH WB WP GM	IP54/20
911401550941	DN591B LED20/830 PSD C D200 WH WB WP GM	IP54/20
911401551041	DN591B LED20/840 PSD C D200 WH WB WP GM	IP54/20
911401551141	DN593B LED30/840 PSD C D200 WH WB WP GM	IP54/20
911401551241	DN594B LED40/840 PSD C D200 WH WB WP GM	IP54/20
911401551341	DN589B LED10/830 PSU C D150 WH WB CAU	IP20
911401551441	DN589B LED10/840 PSU C D150 WH WB CAU	IP20
911401551541	DN590B LED15/840 PSU C D150 WH WB CAU	IP20
911401551641	DN591B LED20/830 PSU C D200 WH WB CAU	IP20
911401551741	DN591B LED20/840 PSU C D200 WH WB CAU	IP20
911401551841	DN593B LED30/840 PSU C D200 WH WB CAU	IP20
911401551941	DN594B LED40/840 PSU C D200 WH WB CAU	IP20
911401552041	DN589B LED10/830 PSD C D150 WH WB CAU	IP20
911401552141	DN589B LED10/840 PSD C D150 WH WB CAU	IP20
911401552241	DN590B LED15/840 PSD C D150 WH WB CAU	IP20

Order Code	Full Product Name	Ingress protection code
911401552341	DN591B LED20/830 PSD C D200 WH WB CAU	IP20
911401552441	DN591B LED20/840 PSD C D200 WH WB CAU	IP20
911401552541	DN593B LED30/840 PSD C D200 WH WB CAU	IP20
911401552641	DN594B LED40/840 PSD C D200 WH WB CAU	IP20
911401552741	DN589B LED10/830 PSU C D150 WH WB WP CAU	IP54/20
911401552841	DN589B LED10/840 PSU C D150 WH WB WP CAU	IP54/20
911401552941	DN590B LED15/840 PSU C D150 WH WB WP CAU	IP54/20
911401553041	DN591B LED20/830 PSU C D200 WH WB WP CAU	IP54/20
911401553141	DN591B LED20/840 PSU C D200 WH WB WP CAU	IP54/20
911401553241	DN593B LED30/840 PSU C D200 WH WB WP CAU	IP54/20
911401553341	DN594B LED40/840 PSU C D200 WH WB WP CAU	IP54/20
911401553441	DN589B LED10/830 PSD C D150 WH WB WP CAU	IP54/20
911401553541	DN589B LED10/840 PSD C D150 WH WB WP CAU	IP54/20
911401553641	DN590B LED15/840 PSD C D150 WH WB WP CAU	IP54/20
911401553741	DN591B LED20/830 PSD C D200 WH WB WP CAU	IP54/20
911401553841	DN591B LED20/840 PSD C D200 WH WB WP CAU	IP54/20
911401553941	DN593B LED30/840 PSD C D200 WH WB WP CAU	IP54/20
911401554041	DN594B LED40/840 PSD C D200 WH WB WP CAU	IP54/20
911401554141	DN590B LED15/830 POE C D150 WH WB GM	IP20
911401554241	DN590B LED15/840 POE C D150 WH WB GM	IP20
911401554341	DN592B LED25/830 POE C D200 WH WB GM	IP20
911401554441	DN592B LED25/840 POE C D200 WH WB GM	IP20

Controls and Dimming

Order Code	Full Product Name	Dimmable
911401536641	DN588B LED6/830 PSU C D100 WH WB GC	No
911401536741	DN588B LED6/840 PSU C D100 WH WB GC	No
911401536841	DN588B LED6/930 PSU C D100 WH WB GC	No
911401536941	DN588B LED6/940 PSU C D100 WH WB GC	No
911401537041	DN588B LED6/830 PSU C D100 WH MB GC	No
911401537141	DN588B LED6/840 PSU C D100 WH MB GC	No
911401537241	DN588B LED6/930 PSU C D100 WH MB GC	No
911401537341	DN588B LED6/940 PSU C D100 WH MB GC	No
911401537441	DN589B LED10/830 PSU C D125 WH WB GC	No
911401537541	DN589B LED10/840 PSU C D125 WH WB GC	No
911401537641	DN589B LED10/930 PSU C D125 WH WB GC	No

Order Code	Full Product Name	Dimmable
911401537741	DN589B LED10/940 PSU C D125 WH WB GC	No
911401537841	DN589B LED10/830 PSU C D125 WH MB GC	No
911401537941	DN589B LED10/840 PSU C D125 WH MB GC	No
911401538041	DN589B LED10/930 PSU C D125 WH MB GC	No
911401538141	DN589B LED10/940 PSU C D125 WH MB GC	No
911401538241	DN589B LED10/830 PSD C D125 WH WB GC	Yes
911401538341	DN589B LED10/840 PSD C D125 WH WB GC	Yes
911401538441	DN589B LED10/930 PSD C D125 WH WB GC	Yes
911401538541	DN589B LED10/940 PSD C D125 WH WB GC	Yes
911401538641	DN589B LED10/830 PSD C D125 WH MB GC	Yes
911401538741	DN589B LED10/840 PSD C D125 WH MB GC	Yes

Order Code	Full Product Name	Dimmable
911401538841	DN589B LED10/930 PSD C D125 WH MB GC	Yes
911401538941	DN589B LED10/940 PSD C D125 WH MB GC	Yes
911401539041	DN590B LED15/830 PSU C D125 WH WB GC	No
911401539141	DN590B LED15/840 PSU C D125 WH WB GC	No
911401539241	DN590B LED15/930 PSU C D125 WH WB GC	No
911401539341	DN590B LED15/940 PSU C D125 WH WB GC	No
911401539441	DN590B LED15/830 PSU C D125 WH MB GC	No
911401539541	DN590B LED15/840 PSU C D125 WH MB GC	No
911401539641	DN590B LED15/930 PSU C D125 WH MB GC	No
911401539741	DN590B LED15/940 PSU C D125 WH MB GC	No
911401539841	DN590B LED15/830 PSD C D125 WH WB GC	Yes
911401539941	DN590B LED15/840 PSD C D125 WH WB GC	Yes
911401540041	DN590B LED15/930 PSD C D125 WH WB GC	Yes
911401540141	DN590B LED15/940 PSD C D125 WH WB GC	Yes
911401540241	DN590B LED15/830 PSD C D125 WH MB GC	Yes
911401540341	DN590B LED15/840 PSD C D125 WH MB GC	Yes
911401540441	DN590B LED15/930 PSD C D125 WH MB GC	Yes
911401540541	DN590B LED15/940 PSD C D125 WH MB GC	Yes
911401540641	DN590B LED15/830 POE C D125 WH WB GC	Yes
911401540741	DN590B LED15/840 POE C D125 WH WB GC	Yes
911401540941	DN591B LED20/830 PSU C D125 WH WB GC	No
911401541041	DN591B LED20/840 PSU C D125 WH WB GC	No
911401541141	DN591B LED20/930 PSU C D125 WH WB GC	No
911401541241	DN591B LED20/940 PSU C D125 WH WB GC	No
911401541341	DN591B LED20/830 PSU C D125 WH MB GC	No
911401541441	DN591B LED20/840 PSU C D125 WH MB GC	No
911401541541	DN591B LED20/930 PSU C D125 WH MB GC	No
911401541641	DN591B LED20/940 PSU C D125 WH MB GC	No
911401541741	DN591B LED20/830 PSD C D125 WH WB GC	Yes
911401541841	DN591B LED20/840 PSD C D125 WH WB GC	Yes
911401541941	DN591B LED20/930 PSD C D125 WH WB GC	Yes
911401542041	DN591B LED20/940 PSD C D125 WH WB GC	Yes
911401542141	DN591B LED20/830 PSD C D125 WH MB GC	Yes
911401542241	DN591B LED20/840 PSD C D125 WH MB GC	Yes
911401542341	DN591B LED20/930 PSD C D125 WH MB GC	Yes
911401542441	DN591B LED20/940 PSD C D125 WH MB GC	Yes
911401547541	DN588B LED6/830 PSU C D125 C WH WB GM	No
911401547641	DN588B LED6/840 PSU C D125 C WH WB GM	No
911401548741	DN588B LED6/840 PSD C D125 WH WB GM	Yes
911401549541	DN588B LED6/830 PSU C D125 WH WB WP GM	No
911401549641	DN588B LED6/840 PSU C D125 WH WB WP GM	No
911401550541	DN588B LED6/840 PSD C D125 WH WB WP GM	Yes
911401540841	DN590B LED20/TWH PSD C D150 WH WB GC	Yes
911401542541	DN591B LED20/830 PSU C D150 WH WB GC	No
911401542641	DN591B LED20/840 PSU C D150 WH WB GC	No
911401542741	DN591B LED20/930 PSU C D150 WH WB GC	No
911401542841	DN591B LED20/940 PSU C D150 WH WB GC	No
911401542941	DN591B LED20/830 PSU C D150 WH MB GC	No
911401543041	DN591B LED20/840 PSU C D150 WH MB GC	No
911401543141	DN591B LED20/930 PSU C D150 WH MB GC	No
911401543241	DN591B LED20/940 PSU C D150 WH MB GC	No
911401543341	DN591B LED20/830 PSD C D150 WH WB GC	Yes

Order Code	Full Product Name	Dimmable
911401543441	DN591B LED20/840 PSD C D150 WH WB GC	Yes
911401543541	DN591B LED20/930 PSD C D150 WH WB GC	Yes
911401543641	DN591B LED20/940 PSD C D150 WH WB GC	Yes
911401543741	DN591B LED20/830 PSD C D150 WH MB GC	Yes
911401543841	DN591B LED20/840 PSD C D150 WH MB GC	Yes
911401543941	DN591B LED20/930 PSD C D150 WH MB GC	Yes
911401544041	DN591B LED20/940 PSD C D150 WH MB GC	Yes
911401544141	DN592B LED25/830 PSU C D150 WH WB GC	No
911401544241	DN592B LED25/840 PSU C D150 WH WB GC	No
911401544341	DN592B LED25/930 PSU C D150 WH WB GC	No
911401544441	DN592B LED25/940 PSU C D150 WH WB GC	No
911401544541	DN592B LED25/830 PSU C D150 WH MB GC	No
911401544641	DN592B LED25/840 PSU C D150 WH MB GC	No
911401544741	DN592B LED25/930 PSU C D150 WH MB GC	No
911401544841	DN592B LED25/940 PSU C D150 WH MB GC	No
911401544941	DN592B LED25/830 PSD C D150 WH WB GC	Yes
911401545041	DN592B LED25/840 PSD C D150 WH WB GC	Yes
911401545141	DN592B LED25/930 PSD C D150 WH WB GC	Yes
911401545241	DN592B LED25/940 PSD C D150 WH WB GC	Yes
911401545341	DN592B LED25/830 PSD C D150 WH MB GC	Yes
911401545441	DN592B LED25/840 PSD C D150 WH MB GC	Yes
911401545541	DN592B LED25/930 PSD C D150 WH MB GC	Yes
911401545641	DN592B LED25/940 PSD C D150 WH MB GC	Yes
911401545741	DN592B LED25/830 POE C D150 WH WB GC	Yes
911401545841	DN592B LED25/840 POE C D150 WH WB GC	Yes
911401545941	DN593B LED30/830 PSU C D200 WH WB GC	No
911401546041	DN593B LED30/840 PSU C D200 WH WB GC	No
911401546141	DN593B LED30/930 PSU C D200 WH WB GC	No
911401546241	DN593B LED30/940 PSU C D200 WH WB GC	No
911401546341	DN593B LED30/830 PSU C D200 WH MB GC	No
911401546441	DN593B LED30/840 PSU C D200 WH MB GC	No
911401546541	DN593B LED30/930 PSU C D200 WH MB GC	No
911401546641	DN593B LED30/940 PSU C D200 WH MB GC	No
911401546741	DN594B LED40/830 PSU C D200 WH WB GC	No
911401546841	DN594B LED40/840 PSU C D200 WH WB GC	No
911401546941	DN594B LED40/930 PSU C D200 WH WB GC	No
911401547041	DN594B LED40/940 PSU C D200 WH WB GC	No
911401547141	DN594B LED40/830 PSU C D200 WH MB GC	No
911401547241	DN594B LED40/840 PSU C D200 WH MB GC	No
911401547341	DN594B LED40/930 PSU C D200 WH MB GC	No
911401547441	DN594B LED40/940 PSU C D200 WH MB GC	No
911401547741	DN589B LED10/830 PSU C D150 WH WB GM	No
911401547841	DN589B LED10/840 PSU C D150 WH WB GM	No
911401547941	DN590B LED15/830 PSU C D150 WH WB GM	No
911401548041	DN590B LED15/840 PSU C D150 WH WB GM	No
911401548141	DN591B LED20/830 PSU C D200 WH WB GM	No
911401548241	DN591B LED20/840 PSU C D200 WH WB GM	No
911401548341	DN593B LED30/830 PSU C D200 WH WB GM	No
911401548441	DN593B LED30/840 PSU C D200 WH WB GM	No
911401548541	DN594B LED40/830 PSU C D200 WH WB GM	No
911401548641	DN594B LED40/840 PSU C D200 WH WB GM	No
911401548841	DN589B LED10/830 PSD C D150 WH WB GM	Yes

Order Code	Full Product Name	Dimmable
911401548941	DN589B LED10/840 PSD C D150 WH WB GM	Yes
911401549041	DN590B LED15/840 PSD C D150 WH WB GM	Yes
911401549141	DN591B LED20/830 PSD C D200 WH WB GM	Yes
911401549241	DN591B LED20/840 PSD C D200 WH WB GM	Yes
911401549341	DN593B LED30/840 PSD C D200 WH WB GM	Yes
911401549441	DN594B LED40/840 PSD C D200 WH WB GM	Yes
911401549741	DN589B LED10/830 PSU C D150 WH WB WP GM	No
911401549841	DN589B LED10/840 PSU C D150 WH WB WP GM	No
911401549941	DN590B LED15/830 PSU C D150 WH WB WP GM	No
911401550041	DN590B LED15/840 PSU C D150 WH WB WP GM	No
911401550141	DN591B LED20/830 PSU C D200 WH WB WP GM	No
911401550241	DN591B LED20/840 PSU C D200 WH WB WP GM	No
911401550341	DN593B LED30/840 PSU C D200 WH WB WP GM	No
911401550441	DN594B LED40/840 PSU C D200 WH WB WP GM	No
911401550641	DN589B LED10/830 PSD C D150 WH WB WP GM	Yes
911401550741	DN589B LED10/840 PSD C D150 WH WB WP GM	Yes
911401550841	DN590B LED15/840 PSD C D150 WH WB WP GM	Yes
911401550941	DN591B LED20/830 PSD C D200 WH WB WP GM	Yes
911401551041	DN591B LED20/840 PSD C D200 WH WB WP GM	Yes
911401551141	DN593B LED30/840 PSD C D200 WH WB WP GM	Yes
911401551241	DN594B LED40/840 PSD C D200 WH WB WP GM	Yes
911401551341	DN589B LED10/830 PSU C D150 WH WB CAU	No
911401551441	DN589B LED10/840 PSU C D150 WH WB CAU	No
911401551541	DN590B LED15/840 PSU C D150 WH WB CAU	No
911401551641	DN591B LED20/830 PSU C D200 WH WB CAU	No
911401551741	DN591B LED20/840 PSU C D200 WH WB CAU	No
911401551841	DN593B LED30/840 PSU C D200 WH WB CAU	No

Order Code	Full Product Name	Dimmable
911401551941	DN594B LED40/840 PSU C D200 WH WB CAU	No
911401552041	DN589B LED10/830 PSD C D150 WH WB CAU	Yes
911401552141	DN589B LED10/840 PSD C D150 WH WB CAU	Yes
911401552241	DN590B LED15/840 PSD C D150 WH WB CAU	Yes
911401552341	DN591B LED20/830 PSD C D200 WH WB CAU	Yes
911401552441	DN591B LED20/840 PSD C D200 WH WB CAU	Yes
911401552541	DN593B LED30/840 PSD C D200 WH WB CAU	Yes
911401552641	DN594B LED40/840 PSD C D200 WH WB CAU	Yes
911401552741	DN589B LED10/830 PSU C D150 WH WB WP CAU	No
911401552841	DN589B LED10/840 PSU C D150 WH WB WP CAU	No
911401552941	DN590B LED15/840 PSU C D150 WH WB WP CAU	No
911401553041	DN591B LED20/830 PSU C D200 WH WB WP CAU	No
911401553141	DN591B LED20/840 PSU C D200 WH WB WP CAU	No
911401553241	DN593B LED30/840 PSU C D200 WH WB WP CAU	No
911401553341	DN594B LED40/840 PSU C D200 WH WB WP CAU	No
911401553441	DN589B LED10/830 PSD C D150 WH WB WP CAU	Yes
911401553541	DN589B LED10/840 PSD C D150 WH WB WP CAU	Yes
911401553641	DN590B LED15/840 PSD C D150 WH WB WP CAU	Yes
911401553741	DN591B LED20/830 PSD C D200 WH WB WP CAU	Yes
911401553841	DN591B LED20/840 PSD C D200 WH WB WP CAU	Yes
911401553941	DN593B LED30/840 PSD C D200 WH WB WP CAU	Yes
911401554041	DN594B LED40/840 PSD C D200 WH WB WP CAU	Yes
911401554141	DN590B LED15/830 POE C D150 WH WB GM	Yes
911401554241	DN590B LED15/840 POE C D150 WH WB GM	Yes
911401554341	DN592B LED25/830 POE C D200 WH WB GM	Yes
911401554441	DN592B LED25/840 POE C D200 WH WB GM	Yes

General Information

Order Code	Full Product Name	Protection class IEC	Number of gear units	Optic type
911401536641	DN588B LED6/830 PSU C D100 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401536741	DN588B LED6/840 PSU C D100 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401536841	DN588B LED6/930 PSU C D100 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401536941	DN588B LED6/940 PSU C D100 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401537041	DN588B LED6/830 PSU C D100 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401537141	DN588B LED6/840 PSU C D100 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°

Order Code	Full Product Name	Protection class IEC	Number of gear units	Optic type
911401537241	DN588B LED6/930 PSU C D100 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401537341	DN588B LED6/940 PSU C D100 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401537441	DN589B LED10/830 PSU C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401537541	DN589B LED10/840 PSU C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401537641	DN589B LED10/930 PSU C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401537741	DN589B LED10/940 PSU C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°

Order Code	Full Product Name	Protection class IEC	Number of gear units	Optic type
911401537841	DN589B LED10/830 PSU C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401537941	DN589B LED10/840 PSU C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401538041	DN589B LED10/930 PSU C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401538141	DN589B LED10/940 PSU C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401538241	DN589B LED10/830 PSD C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401538341	DN589B LED10/840 PSD C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401538441	DN589B LED10/930 PSD C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401538541	DN589B LED10/940 PSD C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401538641	DN589B LED10/830 PSD C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401538741	DN589B LED10/840 PSD C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401538841	DN589B LED10/930 PSD C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401538941	DN589B LED10/940 PSD C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401539041	DN590B LED15/830 PSU C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401539141	DN590B LED15/840 PSU C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401539241	DN590B LED15/930 PSU C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401539341	DN590B LED15/940 PSU C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401539441	DN590B LED15/830 PSU C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°

Order Code	Full Product Name	Protection class IEC	Number of gear units	Optic type
911401539541	DN590B LED15/840 PSU C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401539641	DN590B LED15/930 PSU C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401539741	DN590B LED15/940 PSU C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401539841	DN590B LED15/830 PSD C D125 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401539941	DN590B LED15/840 PSD C D125 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401540041	DN590B LED15/930 PSD C D125 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401540141	DN590B LED15/940 PSD C D125 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401540241	DN590B LED15/830 PSD C D125 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°
911401540341	DN590B LED15/840 PSD C D125 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°
911401540441	DN590B LED15/930 PSD C D125 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°
911401540541	DN590B LED15/940 PSD C D125 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°
911401540641	DN590B LED15/830 POE C D125 WH WB GC	Safety class III	1 unit	Facetted reflector with beam angle 60°
911401540741	DN590B LED15/840 POE C D125 WH WB GC	Safety class III	1 unit	Facetted reflector with beam angle 60°
911401540941	DN591B LED20/830 PSU C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401541041	DN591B LED20/840 PSU C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401541141	DN591B LED20/930 PSU C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401541241	DN591B LED20/940 PSU C D125 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°

Order Code	Full Product Name	Protection class IEC	Number of gear units	Optic type
911401541341	DN591B LED20/830 PSU C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401541441	DN591B LED20/840 PSU C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401541541	DN591B LED20/930 PSU C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401541641	DN591B LED20/940 PSU C D125 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401541741	DN591B LED20/830 PSD C D125 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401541841	DN591B LED20/840 PSD C D125 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401541941	DN591B LED20/930 PSD C D125 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401542041	DN591B LED20/940 PSD C D125 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401542141	DN591B LED20/830 PSD C D125 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°
911401542241	DN591B LED20/840 PSD C D125 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°
911401542341	DN591B LED20/930 PSD C D125 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°
911401542441	DN591B LED20/940 PSD C D125 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°
911401547541	DN588B LED6/830 PSU C D125 C WH WB GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401547641	DN588B LED6/840 PSU C D125 C WH WB GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401548741	DN588B LED6/840 PSD C D125 WH WB GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401549541	DN588B LED6/830 PSU C D125 WH WB WP GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401549641	DN588B LED6/840 PSU C D125 WH WB WP GM	Safety class II	1 unit	Facetted reflector with beam angle 60°

Order Code	Full Product Name	Protection class IEC	Number of gear units	Optic type
911401550541	DN588B LED6/840 PSD C D125 WH WB WP GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401540841	DN590B LED20/TWH PSD C D150 WH WB GC	Safety class I	2 units	Facetted reflector with beam angle 60°
911401542541	DN591B LED20/830 PSU C D150 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401542641	DN591B LED20/840 PSU C D150 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401542741	DN591B LED20/930 PSU C D150 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401542841	DN591B LED20/940 PSU C D150 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401542941	DN591B LED20/830 PSU C D150 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401543041	DN591B LED20/840 PSU C D150 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401543141	DN591B LED20/930 PSU C D150 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401543241	DN591B LED20/940 PSU C D150 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401543341	DN591B LED20/830 PSD C D150 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401543441	DN591B LED20/840 PSD C D150 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401543541	DN591B LED20/930 PSD C D150 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401543641	DN591B LED20/940 PSD C D150 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401543741	DN591B LED20/830 PSD C D150 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°
911401543841	DN591B LED20/840 PSD C D150 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°
911401543941	DN591B LED20/930 PSD C D150 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°

Order Code	Full Product Name	Protection class IEC	Number of gear units	Optic type
911401544041	DN591B LED20/940 PSD C D150 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°
911401544141	DN592B LED25/830 PSU C D150 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401544241	DN592B LED25/840 PSU C D150 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401544341	DN592B LED25/930 PSU C D150 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401544441	DN592B LED25/940 PSU C D150 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401544541	DN592B LED25/830 PSU C D150 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401544641	DN592B LED25/840 PSU C D150 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401544741	DN592B LED25/930 PSU C D150 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401544841	DN592B LED25/940 PSU C D150 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401544941	DN592B LED25/830 PSD C D150 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401545041	DN592B LED25/840 PSD C D150 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401545141	DN592B LED25/930 PSD C D150 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401545241	DN592B LED25/940 PSD C D150 WH WB GC	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401545341	DN592B LED25/830 PSD C D150 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°
911401545441	DN592B LED25/840 PSD C D150 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°
911401545541	DN592B LED25/930 PSD C D150 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°
911401545641	DN592B LED25/940 PSD C D150 WH MB GC	Safety class I	1 unit	Facetted reflector with beam angle 30°

Order Code	Full Product Name	Protection class IEC	Number of gear units	Optic type
911401545741	DN592B LED25/830 POE C D150 WH WB GC	Safety class III	1 unit	Facetted reflector with beam angle 60°
911401545841	DN592B LED25/840 POE C D150 WH WB GC	Safety class III	1 unit	Facetted reflector with beam angle 60°
911401545941	DN593B LED30/830 PSU C D200 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401546041	DN593B LED30/840 PSU C D200 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401546141	DN593B LED30/930 PSU C D200 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401546241	DN593B LED30/940 PSU C D200 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401546341	DN593B LED30/830 PSU C D200 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401546441	DN593B LED30/840 PSU C D200 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401546541	DN593B LED30/930 PSU C D200 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401546641	DN593B LED30/940 PSU C D200 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401546741	DN594B LED40/830 PSU C D200 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401546841	DN594B LED40/840 PSU C D200 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401546941	DN594B LED40/930 PSU C D200 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401547041	DN594B LED40/940 PSU C D200 WH WB GC	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401547141	DN594B LED40/830 PSU C D200 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401547241	DN594B LED40/840 PSU C D200 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401547341	DN594B LED40/930 PSU C D200 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°

Order Code	Full Product Name	Protection class IEC	Number of gear units	Optic type
911401547441	DN594B LED40/940 PSU C D200 WH MB GC	Safety class II	1 unit	Facetted reflector with beam angle 30°
911401547741	DN589B LED10/830 PSU C D150 WH WB GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401547841	DN589B LED10/840 PSU C D150 WH WB GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401547941	DN590B LED15/830 PSU C D150 WH WB GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401548041	DN590B LED15/840 PSU C D150 WH WB GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401548141	DN591B LED20/830 PSU C D200 WH WB GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401548241	DN591B LED20/840 PSU C D200 WH WB GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401548341	DN593B LED30/830 PSU C D200 WH WB GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401548441	DN593B LED30/840 PSU C D200 WH WB GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401548541	DN594B LED40/830 PSU C D200 WH WB GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401548641	DN594B LED40/840 PSU C D200 WH WB GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401548841	DN589B LED10/830 PSD C D150 WH WB GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401548941	DN589B LED10/840 PSD C D150 WH WB GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401549041	DN590B LED15/840 PSD C D150 WH WB GM	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401549141	DN591B LED20/830 PSD C D200 WH WB GM	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401549241	DN591B LED20/840 PSD C D200 WH WB GM	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401549341	DN593B LED30/840 PSD C D200 WH WB GM	Safety class I	1 unit	Facetted reflector with beam angle 60°

Order Code	Full Product Name	Protection class IEC	Number of gear units	Optic type
911401549441	DN594B LED40/840 PSD C D200 WH WB GM	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401549741	DN589B LED10/830 PSU C D150 WH WB WP GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401549841	DN589B LED10/840 PSU C D150 WH WB WP GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401549941	DN590B LED15/830 PSU C D150 WH WB WP GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401550041	DN590B LED15/840 PSU C D150 WH WB WP GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401550141	DN591B LED20/830 PSU C D200 WH WB WP GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401550241	DN591B LED20/840 PSU C D200 WH WB WP GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401550341	DN593B LED30/840 PSU C D200 WH WB WP GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401550441	DN594B LED40/840 PSU C D200 WH WB WP GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401550641	DN589B LED10/830 PSD C D150 WH WB WP GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401550741	DN589B LED10/840 PSD C D150 WH WB WP GM	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401550841	DN590B LED15/840 PSD C D150 WH WB WP GM	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401550941	DN591B LED20/830 PSD C D200 WH WB WP GM	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401551041	DN591B LED20/840 PSD C D200 WH WB WP GM	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401551141	DN593B LED30/840 PSD C D200 WH WB WP GM	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401551241	DN594B LED40/840 PSD C D200 WH WB WP GM	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401551341	DN589B LED10/830 PSU C D150 WH WB CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°

Order Code	Full Product Name	Protection class IEC	Number of gear units	Optic type
911401551441	DN589B LED10/840 PSU C D150 WH WB CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401551541	DN590B LED15/840 PSU C D150 WH WB CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401551641	DN591B LED20/830 PSU C D200 WH WB CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401551741	DN591B LED20/840 PSU C D200 WH WB CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401551841	DN593B LED30/840 PSU C D200 WH WB CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401551941	DN594B LED40/840 PSU C D200 WH WB CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401552041	DN589B LED10/830 PSD C D150 WH WB CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401552141	DN589B LED10/840 PSD C D150 WH WB CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401552241	DN590B LED15/840 PSD C D150 WH WB CAU	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401552341	DN591B LED20/830 PSD C D200 WH WB CAU	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401552441	DN591B LED20/840 PSD C D200 WH WB CAU	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401552541	DN593B LED30/840 PSD C D200 WH WB CAU	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401552641	DN594B LED40/840 PSD C D200 WH WB CAU	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401552741	DN589B LED10/830 PSU C D150 WH WB WP CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401552841	DN589B LED10/840 PSU C D150 WH WB WP CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401552941	DN590B LED15/840 PSU C D150 WH WB WP CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°

Order Code	Full Product Name	Protection class IEC	Number of gear units	Optic type
911401553041	DN591B LED20/830 PSU C D200 WH WB WP CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401553141	DN591B LED20/840 PSU C D200 WH WB WP CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401553241	DN593B LED30/840 PSU C D200 WH WB WP CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401553341	DN594B LED40/840 PSU C D200 WH WB WP CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401553441	DN589B LED10/830 PSD C D150 WH WB WP CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401553541	DN589B LED10/840 PSD C D150 WH WB WP CAU	Safety class II	1 unit	Facetted reflector with beam angle 60°
911401553641	DN590B LED15/840 PSD C D150 WH WB WP CAU	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401553741	DN591B LED20/830 PSD C D200 WH WB WP CAU	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401553841	DN591B LED20/840 PSD C D200 WH WB WP CAU	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401553941	DN593B LED30/840 PSD C D200 WH WB WP CAU	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401554041	DN594B LED40/840 PSD C D200 WH WB WP CAU	Safety class I	1 unit	Facetted reflector with beam angle 60°
911401554141	DN590B LED15/830 POE C D150 WH WB GM	Safety class III	1 unit	Facetted reflector with beam angle 60°
911401554241	DN590B LED15/840 POE C D150 WH WB GM	Safety class III	1 unit	Facetted reflector with beam angle 60°
911401554341	DN592B LED25/830 POE C D200 WH WB GM	Safety class III	1 unit	Facetted reflector with beam angle 60°
911401554441	DN592B LED25/840 POE C D200 WH WB GM	Safety class III	1 unit	Facetted reflector with beam angle 60°

Initial Performance (IEC Compliant) (1/2)

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy	Initial luminous flux
911401536641	DN588B LED6/830 PSU C D100 WH WB GC	3000 K	>80	102 lm/W	670 lm
911401536741	DN588B LED6/840 PSU C D100 WH WB GC	4000 K	>90	112 lm/W	740 lm
911401536841	DN588B LED6/930 PSU C D100 WH WB GC	3000 K	>80	88 lm/W	580 lm
911401536941	DN588B LED6/940 PSU C D100 WH WB GC	4000 K	>90	95 lm/W	630 lm
911401537041	DN588B LED6/830 PSU C D100 WH MB GC	3000 K	>80	102 lm/W	670 lm
911401537141	DN588B LED6/840 PSU C D100 WH MB GC	4000 K	>90	112 lm/W	740 lm
911401537241	DN588B LED6/930 PSU C D100 WH MB GC	3000 K	>80	88 lm/W	580 lm
911401537341	DN588B LED6/940 PSU C D100 WH MB GC	4000 K	>90	95 lm/W	630 lm
911401537441	DN589B LED10/830 PSU C D125 WH WB GC	3000 K	>80	103 lm/W	960 lm
911401537541	DN589B LED10/840 PSU C D125 WH WB GC	4000 K	>90	108 lm/W	1000 lm
911401537641	DN589B LED10/930 PSU C D125 WH WB GC	3000 K	>80	86 lm/W	800 lm
911401537741	DN589B LED10/940 PSU C D125 WH WB GC	4000 K	>90	92 lm/W	860 lm
911401537841	DN589B LED10/830 PSU C D125 WH MB GC	3000 K	>80	103 lm/W	960 lm
911401537941	DN589B LED10/840 PSU C D125 WH MB GC	4000 K	>90	108 lm/W	1000 lm
911401538041	DN589B LED10/930 PSU C D125 WH MB GC	3000 K	>80	86 lm/W	800 lm
911401538141	DN589B LED10/940 PSU C D125 WH MB GC	4000 K	>90	92 lm/W	860 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy	Initial luminous flux
911401538241	DN589B LED10/830 PSD C D125 WH WB GC	3000 K	>80	103 lm/W	960 lm
911401538341	DN589B LED10/840 PSD C D125 WH WB GC	4000 K	>90	108 lm/W	1000 lm
911401538441	DN589B LED10/930 PSD C D125 WH WB GC	3000 K	>80	86 lm/W	800 lm
911401538541	DN589B LED10/940 PSD C D125 WH WB GC	4000 K	>90	92 lm/W	860 lm
911401538641	DN589B LED10/830 PSD C D125 WH MB GC	3000 K	>80	103 lm/W	960 lm
911401538741	DN589B LED10/840 PSD C D125 WH MB GC	4000 K	>90	108 lm/W	1000 lm
911401538841	DN589B LED10/930 PSD C D125 WH MB GC	3000 K	>80	86 lm/W	800 lm
911401538941	DN589B LED10/940 PSD C D125 WH MB GC	4000 K	>90	92 lm/W	860 lm
911401539041	DN590B LED15/830 PSU C D125 WH WB GC	3000 K	>80	104 lm/W	1410 lm
911401539141	DN590B LED15/840 PSU C D125 WH WB GC	4000 K	>90	111 lm/W	1500 lm
911401539241	DN590B LED15/930 PSU C D125 WH WB GC	3000 K	>80	88 lm/W	1190 lm
911401539341	DN590B LED15/940 PSU C D125 WH WB GC	4000 K	>90	94 lm/W	1270 lm
911401539441	DN590B LED15/830 PSU C D125 WH MB GC	3000 K	>80	104 lm/W	1410 lm
911401539541	DN590B LED15/840 PSU C D125 WH MB GC	4000 K	>90	111 lm/W	1500 lm
911401539641	DN590B LED15/930 PSU C D125 WH MB GC	3000 K	>80	88 lm/W	1190 lm
911401539741	DN590B LED15/940 PSU C D125 WH MB GC	4000 K	>90	94 lm/W	1270 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy	Initial luminous flux
911401539841	DN590B LED15/830 PSD C D125 WH WB GC	3000 K	>80	104 lm/W	1410 lm
911401539941	DN590B LED15/840 PSD C D125 WH WB GC	4000 K	>90	111 lm/W	1500 lm
911401540041	DN590B LED15/930 PSD C D125 WH WB GC	3000 K	>80	88 lm/W	1190 lm
911401540141	DN590B LED15/940 PSD C D125 WH WB GC	4000 K	>90	94 lm/W	1270 lm
911401540241	DN590B LED15/830 PSD C D125 WH MB GC	3000 K	>80	104 lm/W	1410 lm
911401540341	DN590B LED15/840 PSD C D125 WH MB GC	4000 K	>90	111 lm/W	1500 lm
911401540441	DN590B LED15/930 PSD C D125 WH MB GC	3000 K	>80	88 lm/W	1190 lm
911401540541	DN590B LED15/940 PSD C D125 WH MB GC	4000 K	>90	94 lm/W	1270 lm
911401540641	DN590B LED15/830 POE C D125 WH WB GC	3000 K	>80	104 lm/W	1410 lm
911401540741	DN590B LED15/840 POE C D125 WH WB GC	4000 K	>90	111 lm/W	1500 lm
911401540941	DN591B LED20/830 PSU C D125 WH WB GC	3000 K	>80	104 lm/W	2000 lm
911401541041	DN591B LED20/840 PSU C D125 WH WB GC	4000 K	>90	109 lm/W	2100 lm
911401541141	DN591B LED20/930 PSU C D125 WH WB GC	3000 K	>80	87 lm/W	1670 lm
911401541241	DN591B LED20/940 PSU C D125 WH WB GC	4000 K	>90	93 lm/W	1800 lm
911401541341	DN591B LED20/830 PSU C D125 WH MB GC	3000 K	>80	104 lm/W	2000 lm
911401541441	DN591B LED20/840 PSU C D125 WH MB GC	4000 K	>90	109 lm/W	2100 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy	Initial luminous flux
911401541541	DN591B LED20/930 PSU C D125 WH MB GC	3000 K	>80	87 lm/W	1670 lm
911401541641	DN591B LED20/940 PSU C D125 WH MB GC	4000 K	>90	93 lm/W	1800 lm
911401541741	DN591B LED20/830 PSD C D125 WH WB GC	3000 K	>80	104 lm/W	2000 lm
911401541841	DN591B LED20/840 PSD C D125 WH WB GC	4000 K	>90	109 lm/W	2100 lm
911401541941	DN591B LED20/930 PSD C D125 WH WB GC	3000 K	>80	87 lm/W	1670 lm
911401542041	DN591B LED20/940 PSD C D125 WH WB GC	4000 K	>90	93 lm/W	1800 lm
911401542141	DN591B LED20/830 PSD C D125 WH MB GC	3000 K	>80	104 lm/W	2000 lm
911401542241	DN591B LED20/840 PSD C D125 WH MB GC	4000 K	>90	109 lm/W	2100 lm
911401542341	DN591B LED20/930 PSD C D125 WH MB GC	3000 K	>80	87 lm/W	1670 lm
911401542441	DN591B LED20/940 PSD C D125 WH MB GC	4000 K	>90	93 lm/W	1800 lm
911401547541	DN588B LED6/830 PSU C D125 C WH WB GM	3000 K	>80	109 lm/W	720 lm
911401547641	DN588B LED6/840 PSU C D125 C WH WB GM	4000 K	>80	114 lm/W	750 lm
911401548741	DN588B LED6/840 PSD C D125 WH WB GM	4000 K	>80	114 lm/W	750 lm
911401549541	DN588B LED6/830 PSU C D125 WH WB WP GM	3000 K	>80	103 lm/W	680 lm
911401549641	DN588B LED6/840 PSU C D125 WH WB WP GM	4000 K	>80	108 lm/W	710 lm
911401550541	DN588B LED6/840 PSD C D125 WH WB WP GM	4000 K	>80	108 lm/W	710 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy	Initial luminous flux
911401540841	DN590B LED20/TWH PSD C D150 WH WB GC	2700 to 6500 K	Not applicable	185 lm/W	2500 lm
911401542541	DN591B LED20/830 PSU C D150 WH WB GC	3000 K	>80	109 lm/W	2100 lm
911401542641	DN591B LED20/840 PSU C D150 WH WB GC	4000 K	>90	111 lm/W	2150 lm
911401542741	DN591B LED20/930 PSU C D150 WH WB GC	3000 K	>80	91 lm/W	1760 lm
911401542841	DN591B LED20/940 PSU C D150 WH WB GC	4000 K	>90	98 lm/W	1890 lm
911401542941	DN591B LED20/830 PSU C D150 WH MB GC	3000 K	>80	109 lm/W	2100 lm
911401543041	DN591B LED20/840 PSU C D150 WH MB GC	4000 K	>90	111 lm/W	2150 lm
911401543141	DN591B LED20/930 PSU C D150 WH MB GC	3000 K	>80	91 lm/W	1760 lm
911401543241	DN591B LED20/940 PSU C D150 WH MB GC	4000 K	>90	98 lm/W	1890 lm
911401543341	DN591B LED20/830 PSD C D150 WH WB GC	3000 K	>80	109 lm/W	2100 lm
911401543441	DN591B LED20/840 PSD C D150 WH WB GC	4000 K	>90	111 lm/W	2150 lm
911401543541	DN591B LED20/930 PSD C D150 WH WB GC	3000 K	>80	91 lm/W	1760 lm
911401543641	DN591B LED20/940 PSD C D150 WH WB GC	4000 K	>90	98 lm/W	1890 lm
911401543741	DN591B LED20/830 PSD C D150 WH MB GC	3000 K	>80	109 lm/W	2100 lm
911401543841	DN591B LED20/840 PSD C D150 WH MB GC	4000 K	>90	111 lm/W	2150 lm
911401543941	DN591B LED20/930 PSD C D150 WH MB GC	3000 K	>80	91 lm/W	1760 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy	Initial luminous flux
911401544041	DN591B LED20/940 PSD C D150 WH MB GC	4000 K	>90	98 lm/W	1890 lm
911401544141	DN592B LED25/830 PSU C D150 WH WB GC	3000 K	>80	109 lm/W	2510 lm
911401544241	DN592B LED25/840 PSU C D150 WH WB GC	4000 K	>90	113 lm/W	2600 lm
911401544341	DN592B LED25/930 PSU C D150 WH WB GC	3000 K	>80	92 lm/W	2110 lm
911401544441	DN592B LED25/940 PSU C D150 WH WB GC	4000 K	>90	98 lm/W	2260 lm
911401544541	DN592B LED25/830 PSU C D150 WH MB GC	3000 K	>80	109 lm/W	2510 lm
911401544641	DN592B LED25/840 PSU C D150 WH MB GC	4000 K	>90	113 lm/W	2600 lm
911401544741	DN592B LED25/930 PSU C D150 WH MB GC	3000 K	>80	92 lm/W	2110 lm
911401544841	DN592B LED25/940 PSU C D150 WH MB GC	4000 K	>90	98 lm/W	2260 lm
911401544941	DN592B LED25/830 PSD C D150 WH WB GC	3000 K	>80	109 lm/W	2510 lm
911401545041	DN592B LED25/840 PSD C D150 WH WB GC	4000 K	>90	113 lm/W	2600 lm
911401545141	DN592B LED25/930 PSD C D150 WH WB GC	3000 K	>80	92 lm/W	2110 lm
911401545241	DN592B LED25/940 PSD C D150 WH WB GC	4000 K	>90	98 lm/W	2260 lm
911401545341	DN592B LED25/830 PSD C D150 WH MB GC	3000 K	>80	109 lm/W	2510 lm
911401545441	DN592B LED25/840 PSD C D150 WH MB GC	4000 K	>90	113 lm/W	2600 lm
911401545541	DN592B LED25/930 PSD C D150 WH MB GC	3000 K	>80	92 lm/W	2110 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy	Initial luminous flux
911401545641	DN592B LED25/940 PSD C D150 WH MB GC	4000 K	>90	98 lm/W	2260 lm
911401545741	DN592B LED25/830 POE C D150 WH WB GC	3000 K	>80	113 lm/W	2600 lm
911401545841	DN592B LED25/840 POE C D150 WH WB GC	4000 K	>80	113 lm/W	2600 lm
911401545941	DN593B LED30/830 PSU C D200 WH WB GC	3000 K	>80	102 lm/W	3300 lm
911401546041	DN593B LED30/840 PSU C D200 WH WB GC	4000 K	>80	105 lm/W	3400 lm
911401546141	DN593B LED30/930 PSU C D200 WH WB GC	3000 K	>90	85 lm/W	2770 lm
911401546241	DN593B LED30/940 PSU C D200 WH WB GC	4000 K	>90	91 lm/W	2970 lm
911401546341	DN593B LED30/830 PSU C D200 WH MB GC	3000 K	>80	102 lm/W	3300 lm
911401546441	DN593B LED30/840 PSU C D200 WH MB GC	4000 K	>80	105 lm/W	3400 lm
911401546541	DN593B LED30/930 PSU C D200 WH MB GC	3000 K	>90	85 lm/W	2770 lm
911401546641	DN593B LED30/940 PSU C D200 WH MB GC	4000 K	>90	91 lm/W	2970 lm
911401546741	DN594B LED40/830 PSU C D200 WH WB GC	3000 K	>80	103 lm/W	4100 lm
911401546841	DN594B LED40/840 PSU C D200 WH WB GC	4000 K	>80	108 lm/W	4300 lm
911401546941	DN594B LED40/930 PSU C D200 WH WB GC	3000 K	>90	87 lm/W	3440 lm
911401547041	DN594B LED40/940 PSU C D200 WH WB GC	4000 K	>90	93 lm/W	3700 lm
911401547141	DN594B LED40/830 PSU C D200 WH MB GC	3000 K	>80	103 lm/W	4100 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy	Initial luminous flux
911401547241	DN594B LED40/840 PSU C D200 WH MB GC	4000 K	>80	108 lm/W	4300 lm
911401547341	DN594B LED40/930 PSU C D200 WH MB GC	3000 K	>90	87 lm/W	3440 lm
911401547441	DN594B LED40/940 PSU C D200 WH MB GC	4000 K	>90	93 lm/W	3700 lm
911401547741	DN589B LED10/830 PSU C D150 WH WB GM	3000 K	>80	118 lm/W	990 lm
911401547841	DN589B LED10/840 PSU C D150 WH WB GM	4000 K	>80	125 lm/W	1050 lm
911401547941	DN590B LED15/830 PSU C D150 WH WB GM	3000 K	>80	176 lm/W	1480 lm
911401548041	DN590B LED15/840 PSU C D150 WH WB GM	4000 K	>80	185 lm/W	1550 lm
911401548141	DN591B LED20/830 PSU C D200 WH WB GM	3000 K	>80	113 lm/W	2030 lm
911401548241	DN591B LED20/840 PSU C D200 WH WB GM	4000 K	>80	119 lm/W	2150 lm
911401548341	DN593B LED30/830 PSU C D200 WH WB GM	3000 K	>80	102 lm/W	3300 lm
911401548441	DN593B LED30/840 PSU C D200 WH WB GM	4000 K	>80	105 lm/W	3400 lm
911401548541	DN594B LED40/830 PSU C D200 WH WB GM	3000 K	>80	103 lm/W	4100 lm
911401548641	DN594B LED40/840 PSU C D200 WH WB GM	4000 K	>80	108 lm/W	4300 lm
911401548841	DN589B LED10/830 PSD C D150 WH WB GM	3000 K	>80	118 lm/W	990 lm
911401548941	DN589B LED10/840 PSD C D150 WH WB GM	4000 K	>80	125 lm/W	1050 lm
911401549041	DN590B LED15/840 PSD C D150 WH WB GM	4000 K	>80	115 lm/W	1550 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy	Initial luminous flux
911401549141	DN591B LED20/830 PSD C D200 WH WB GM	3000 K	>80	105 lm/W	2030 lm
911401549241	DN591B LED20/840 PSD C D200 WH WB GM	4000 K	>80	111 lm/W	2150 lm
911401549341	DN593B LED30/840 PSD C D200 WH WB GM	4000 K	>80	105 lm/W	3400 lm
911401549441	DN594B LED40/840 PSD C D200 WH WB GM	4000 K	>80	108 lm/W	4300 lm
911401549741	DN589B LED10/830 PSU C D150 WH WB WP GM	3000 K	>80	112 lm/W	940 lm
911401549841	DN589B LED10/840 PSU C D150 WH WB WP GM	4000 K	>80	119 lm/W	1000 lm
911401549941	DN590B LED15/830 PSU C D150 WH WB WP GM	3000 K	>80	104 lm/W	1410 lm
911401550041	DN590B LED15/840 PSU C D150 WH WB WP GM	4000 K	>80	109 lm/W	1470 lm
911401550141	DN591B LED20/830 PSU C D200 WH WB WP GM	3000 K	>80	107 lm/W	1930 lm
911401550241	DN591B LED20/840 PSU C D200 WH WB WP GM	4000 K	>80	113 lm/W	2040 lm
911401550341	DN593B LED30/840 PSU C D200 WH WB WP GM	4000 K	>80	99 lm/W	3230 lm
911401550441	DN594B LED40/840 PSU C D200 WH WB WP GM	4000 K	>80	103 lm/W	4090 lm
911401550641	DN589B LED10/830 PSD C D150 WH WB WP GM	3000 K	>80	112 lm/W	940 lm
911401550741	DN589B LED10/840 PSD C D150 WH WB WP GM	4000 K	>80	119 lm/W	1000 lm
911401550841	DN590B LED15/840 PSD C D150 WH WB WP GM	4000 K	>80	109 lm/W	1470 lm
911401550941	DN591B LED20/830 PSD C D200 WH WB WP GM	3000 K	>80	107 lm/W	1930 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy	Initial luminous flux
911401551041	DN591B LED20/840 PSD C D200 WH WB WP GM	4000 K	>80	113 lm/W	2040 lm
911401551141	DN593B LED30/840 PSD C D200 WH WB WP GM	4000 K	>80	99 lm/W	3230 lm
911401551241	DN594B LED40/840 PSD C D200 WH WB WP GM	4000 K	>80	103 lm/W	4090 lm
911401551341	DN589B LED10/830 PSU C D150 WH WB CAU	3000 K	>80	118 lm/W	990 lm
911401551441	DN589B LED10/840 PSU C D150 WH WB CAU	4000 K	>80	125 lm/W	1050 lm
911401551541	DN590B LED15/840 PSU C D150 WH WB CAU	4000 K	>80	115 lm/W	1550 lm
911401551641	DN591B LED20/830 PSU C D200 WH WB CAU	3000 K	>80	150 lm/W	2030 lm
911401551741	DN591B LED20/840 PSU C D200 WH WB CAU	4000 K	>80	119 lm/W	2150 lm
911401551841	DN593B LED30/840 PSU C D200 WH WB CAU	4000 K	>80	189 lm/W	3400 lm
911401551941	DN594B LED40/840 PSU C D200 WH WB CAU	4000 K	>80	132 lm/W	4300 lm
911401552041	DN589B LED10/830 PSD C D150 WH WB CAU	3000 K	>80	25 lm/W	990 lm
911401552141	DN589B LED10/840 PSD C D150 WH WB CAU	4000 K	>80	125 lm/W	1050 lm
911401552241	DN590B LED15/840 PSD C D150 WH WB CAU	4000 K	>80	115 lm/W	1550 lm
911401552341	DN591B LED20/830 PSD C D200 WH WB CAU	3000 K	>80	113 lm/W	2030 lm
911401552441	DN591B LED20/840 PSD C D200 WH WB CAU	4000 K	>80	119 lm/W	2150 lm
911401552541	DN593B LED30/840 PSD C D200 WH WB CAU	4000 K	>80	105 lm/W	3400 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy	Initial luminous flux
911401552641	DN594B LED40/840 PSD C D200 WH WB CAU	4000 K	>80	108 lm/W	4300 lm
911401552741	DN589B LED10/830 PSU C D150 WH WB WP CAU	3000 K	>80	112 lm/W	940 lm
911401552841	DN589B LED10/840 PSU C D150 WH WB WP CAU	4000 K	>80	119 lm/W	1000 lm
911401552941	DN590B LED15/840 PSU C D150 WH WB WP CAU	4000 K	>80	109 lm/W	1470 lm
911401553041	DN591B LED20/830 PSU C D200 WH WB WP CAU	3000 K	>80	107 lm/W	1930 lm
911401553141	DN591B LED20/840 PSU C D200 WH WB WP CAU	4000 K	>80	113 lm/W	2040 lm
911401553241	DN593B LED30/840 PSU C D200 WH WB WP CAU	4000 K	>80	105 lm/W	3400 lm
911401553341	DN594B LED40/840 PSU C D200 WH WB WP CAU	4000 K	>80	108 lm/W	4300 lm
911401553441	DN589B LED10/830 PSD C D150 WH WB WP CAU	3000 K	>80	112 lm/W	940 lm
911401553541	DN589B LED10/840 PSD C D150 WH WB WP CAU	4000 K	>80	119 lm/W	1000 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial LED luminaire efficacy	Initial luminous flux
911401553641	DN590B LED15/840 PSD C D150 WH WB WP CAU	4000 K	>80	109 lm/W	1470 lm
911401553741	DN591B LED20/830 PSD C D200 WH WB WP CAU	3000 K	>80	107 lm/W	1930 lm
911401553841	DN591B LED20/840 PSD C D200 WH WB WP CAU	4000 K	>80	113 lm/W	2040 lm
911401553941	DN593B LED30/840 PSD C D200 WH WB WP CAU	4000 K	>80	105 lm/W	3400 lm
911401554041	DN594B LED40/840 PSD C D200 WH WB WP CAU	4000 K	>80	108 lm/W	4300 lm
911401554141	DN590B LED15/830 POE C D150 WH WB GM	3000 K	>80	103 lm/W	1480 lm
911401554241	DN590B LED15/840 POE C D150 WH WB GM	4000 K	>80	108 lm/W	1550 lm
911401554341	DN592B LED25/830 POE C D200 WH WB GM	3000 K	>80	109 lm/W	2510 lm
911401554441	DN592B LED25/840 POE C D200 WH WB GM	4000 K	>80	113 lm/W	2600 lm

Initial Performance (IEC Compliant) (2/2)

Order Code	Full Product Name	Initial input power
911401536641	DN588B LED6/830 PSU C D100 WH WB GC	6.6 W
911401536741	DN588B LED6/840 PSU C D100 WH WB GC	6.6 W
911401536841	DN588B LED6/930 PSU C D100 WH WB GC	6.6 W
911401536941	DN588B LED6/940 PSU C D100 WH WB GC	6.6 W
911401537041	DN588B LED6/830 PSU C D100 WH MB GC	6.6 W
911401537141	DN588B LED6/840 PSU C D100 WH MB GC	6.6 W
911401537241	DN588B LED6/930 PSU C D100 WH MB GC	6.6 W
911401537341	DN588B LED6/940 PSU C D100 WH MB GC	6.6 W
911401537441	DN589B LED10/830 PSU C D125 WH WB GC	9.3 W
911401537541	DN589B LED10/840 PSU C D125 WH WB GC	9.3 W
911401537641	DN589B LED10/930 PSU C D125 WH WB GC	9.3 W
911401537741	DN589B LED10/940 PSU C D125 WH WB GC	9.3 W
911401537841	DN589B LED10/830 PSU C D125 WH MB GC	9.3 W
911401537941	DN589B LED10/840 PSU C D125 WH MB GC	9.3 W
911401538041	DN589B LED10/930 PSU C D125 WH MB GC	9.3 W
911401538141	DN589B LED10/940 PSU C D125 WH MB GC	9.3 W

Order Code	Full Product Name	Initial input power
911401538241	DN589B LED10/830 PSD C D125 WH WB GC	9.3 W
911401538341	DN589B LED10/840 PSD C D125 WH WB GC	9.3 W
911401538441	DN589B LED10/930 PSD C D125 WH WB GC	9.3 W
911401538541	DN589B LED10/940 PSD C D125 WH WB GC	9.3 W
911401538641	DN589B LED10/830 PSD C D125 WH MB GC	9.3 W
911401538741	DN589B LED10/840 PSD C D125 WH MB GC	9.3 W
911401538841	DN589B LED10/930 PSD C D125 WH MB GC	9.3 W
911401538941	DN589B LED10/940 PSD C D125 WH MB GC	9.3 W
911401539041	DN590B LED15/830 PSU C D125 WH WB GC	13.5 W
911401539141	DN590B LED15/840 PSU C D125 WH WB GC	13.5 W
911401539241	DN590B LED15/930 PSU C D125 WH WB GC	13.5 W
911401539341	DN590B LED15/940 PSU C D125 WH WB GC	13.5 W
911401539441	DN590B LED15/830 PSU C D125 WH MB GC	13.5 W
911401539541	DN590B LED15/840 PSU C D125 WH MB GC	13.5 W
911401539641	DN590B LED15/930 PSU C D125 WH MB GC	13.5 W
911401539741	DN590B LED15/940 PSU C D125 WH MB GC	13.5 W

Order Code	Full Product Name	Initial input power
911401539841	DN590B LED15/830 PSD C D125 WH WB GC	13.5 W
911401539941	DN590B LED15/840 PSD C D125 WH WB GC	13.5 W
911401540041	DN590B LED15/930 PSD C D125 WH WB GC	13.5 W
911401540141	DN590B LED15/940 PSD C D125 WH WB GC	13.5 W
911401540241	DN590B LED15/830 PSD C D125 WH MB GC	13.5 W
911401540341	DN590B LED15/840 PSD C D125 WH MB GC	13.5 W
911401540441	DN590B LED15/930 PSD C D125 WH MB GC	13.5 W
911401540541	DN590B LED15/940 PSD C D125 WH MB GC	13.5 W
911401540641	DN590B LED15/830 POE C D125 WH WB GC	13.5 W
911401540741	DN590B LED15/840 POE C D125 WH WB GC	13.5 W
911401540941	DN591B LED20/830 PSU C D125 WH WB GC	19.3 W
911401541041	DN591B LED20/840 PSU C D125 WH WB GC	19.3 W
911401541141	DN591B LED20/930 PSU C D125 WH WB GC	19.3 W
911401541241	DN591B LED20/940 PSU C D125 WH WB GC	19.3 W
911401541341	DN591B LED20/830 PSU C D125 WH MB GC	19.3 W
911401541441	DN591B LED20/840 PSU C D125 WH MB GC	19.3 W
911401541541	DN591B LED20/930 PSU C D125 WH MB GC	19.3 W
911401541641	DN591B LED20/940 PSU C D125 WH MB GC	19.3 W
911401541741	DN591B LED20/830 PSD C D125 WH WB GC	19.3 W
911401541841	DN591B LED20/840 PSD C D125 WH WB GC	19.3 W
911401541941	DN591B LED20/930 PSD C D125 WH WB GC	19.3 W
911401542041	DN591B LED20/940 PSD C D125 WH WB GC	19.3 W
911401542141	DN591B LED20/830 PSD C D125 WH MB GC	19.3 W
911401542241	DN591B LED20/840 PSD C D125 WH MB GC	19.3 W
911401542341	DN591B LED20/930 PSD C D125 WH MB GC	19.3 W
911401542441	DN591B LED20/940 PSD C D125 WH MB GC	19.3 W
911401547541	DN588B LED6/830 PSU C D125 C WH WB GM	6.6 W
911401547641	DN588B LED6/840 PSU C D125 C WH WB GM	6.6 W
911401548741	DN588B LED6/840 PSD C D125 WH WB GM	6.6 W
911401549541	DN588B LED6/830 PSU C D125 WH WB WP GM	6.6 W
911401549641	DN588B LED6/840 PSU C D125 WH WB WP GM	6.6 W
911401550541	DN588B LED6/840 PSD C D125 WH WB WP GM	6.6 W
911401540841	DN590B LED20/TWH PSD C D150 WH WB GC	13.5 W
911401542541	DN591B LED20/830 PSU C D150 WH WB GC	19.3 W
911401542641	DN591B LED20/840 PSU C D150 WH WB GC	19.3 W
911401542741	DN591B LED20/930 PSU C D150 WH WB GC	19.3 W
911401542841	DN591B LED20/940 PSU C D150 WH WB GC	19.3 W
911401542941	DN591B LED20/830 PSU C D150 WH MB GC	19.3 W
911401543041	DN591B LED20/840 PSU C D150 WH MB GC	19.3 W
911401543141	DN591B LED20/930 PSU C D150 WH MB GC	19.3 W
911401543241	DN591B LED20/940 PSU C D150 WH MB GC	19.3 W
911401543341	DN591B LED20/830 PSD C D150 WH WB GC	19.3 W
911401543441	DN591B LED20/840 PSD C D150 WH WB GC	19.3 W
911401543541	DN591B LED20/930 PSD C D150 WH WB GC	19.3 W
911401543641	DN591B LED20/940 PSD C D150 WH WB GC	19.3 W
911401543741	DN591B LED20/830 PSD C D150 WH MB GC	19.3 W
911401543841	DN591B LED20/840 PSD C D150 WH MB GC	19.3 W
911401543941	DN591B LED20/930 PSD C D150 WH MB GC	19.3 W
911401544041	DN591B LED20/940 PSD C D150 WH MB GC	19.3 W
911401544141	DN592B LED25/830 PSU C D150 WH WB GC	23 W
911401544241	DN592B LED25/840 PSU C D150 WH WB GC	23 W
911401544341	DN592B LED25/930 PSU C D150 WH WB GC	23 W

Order Code	Full Product Name	Initial input power
911401544441	DN592B LED25/940 PSU C D150 WH WB GC	23 W
911401544541	DN592B LED25/830 PSU C D150 WH MB GC	23 W
911401544641	DN592B LED25/840 PSU C D150 WH MB GC	23 W
911401544741	DN592B LED25/930 PSU C D150 WH MB GC	23 W
911401544841	DN592B LED25/940 PSU C D150 WH MB GC	23 W
911401544941	DN592B LED25/830 PSD C D150 WH WB GC	23 W
911401545041	DN592B LED25/840 PSD C D150 WH WB GC	23 W
911401545141	DN592B LED25/930 PSD C D150 WH WB GC	23 W
911401545241	DN592B LED25/940 PSD C D150 WH WB GC	23 W
911401545341	DN592B LED25/830 PSD C D150 WH MB GC	23 W
911401545441	DN592B LED25/840 PSD C D150 WH MB GC	23 W
911401545541	DN592B LED25/930 PSD C D150 WH MB GC	23 W
911401545641	DN592B LED25/940 PSD C D150 WH MB GC	23 W
911401545741	DN592B LED25/830 POE C D150 WH WB GC	23 W
911401545841	DN592B LED25/840 POE C D150 WH WB GC	23 W
911401545941	DN593B LED30/830 PSU C D200 WH WB GC	32.5 W
911401546041	DN593B LED30/840 PSU C D200 WH WB GC	32.5 W
911401546141	DN593B LED30/930 PSU C D200 WH WB GC	32.5 W
911401546241	DN593B LED30/940 PSU C D200 WH WB GC	32.5 W
911401546341	DN593B LED30/830 PSU C D200 WH MB GC	32.5 W
911401546441	DN593B LED30/840 PSU C D200 WH MB GC	32.5 W
911401546541	DN593B LED30/930 PSU C D200 WH MB GC	32.5 W
911401546641	DN593B LED30/940 PSU C D200 WH MB GC	32.5 W
911401546741	DN594B LED40/830 PSU C D200 WH WB GC	39.7 W
911401546841	DN594B LED40/840 PSU C D200 WH WB GC	39.7 W
911401546941	DN594B LED40/930 PSU C D200 WH WB GC	39.7 W
911401547041	DN594B LED40/940 PSU C D200 WH WB GC	39.7 W
911401547141	DN594B LED40/830 PSU C D200 WH MB GC	39.7 W
911401547241	DN594B LED40/840 PSU C D200 WH MB GC	39.7 W
911401547341	DN594B LED40/930 PSU C D200 WH MB GC	39.7 W
911401547441	DN594B LED40/940 PSU C D200 WH MB GC	39.7 W
911401547741	DN589B LED10/830 PSU C D150 WH WB GM	8.4 W
911401547841	DN589B LED10/840 PSU C D150 WH WB GM	8.4 W
911401547941	DN590B LED15/830 PSU C D150 WH WB GM	8.4 W
911401548041	DN590B LED15/840 PSU C D150 WH WB GM	8.4 W
911401548141	DN591B LED20/830 PSU C D200 WH WB GM	18 W
911401548241	DN591B LED20/840 PSU C D200 WH WB GM	18 W
911401548341	DN593B LED30/830 PSU C D200 WH WB GM	32.5 W
911401548441	DN593B LED30/840 PSU C D200 WH WB GM	32.5 W
911401548541	DN594B LED40/830 PSU C D200 WH WB GM	39.7 W
911401548641	DN594B LED40/840 PSU C D200 WH WB GM	39.7 W
911401548841	DN589B LED10/830 PSD C D150 WH WB GM	8.4 W
911401548941	DN589B LED10/840 PSD C D150 WH WB GM	8.4 W
911401549041	DN590B LED15/840 PSD C D150 WH WB GM	13.5 W
911401549141	DN591B LED20/830 PSD C D200 WH WB GM	19.3 W
911401549241	DN591B LED20/840 PSD C D200 WH WB GM	19.3 W
911401549341	DN593B LED30/840 PSD C D200 WH WB GM	32.5 W
911401549441	DN594B LED40/840 PSD C D200 WH WB GM	39.7 W
911401549741	DN589B LED10/830 PSU C D150 WH WB WP GM	8.4 W
911401549841	DN589B LED10/840 PSU C D150 WH WB WP GM	8.4 W
911401549941	DN590B LED15/830 PSU C D150 WH WB WP GM	13.5 W
911401550041	DN590B LED15/840 PSU C D150 WH WB WP GM	13.5 W

Order Code	Full Product Name	Initial input power
911401550141	DN591B LED20/830 PSU C D200 WH WB WP GM	18 W
911401550241	DN591B LED20/840 PSU C D200 WH WB WP GM	18 W
911401550341	DN593B LED30/840 PSU C D200 WH WB WP GM	32.5 W
911401550441	DN594B LED40/840 PSU C D200 WH WB WP GM	39.7 W
911401550641	DN589B LED10/830 PSD C D150 WH WB WP GM	8.4 W
911401550741	DN589B LED10/840 PSD C D150 WH WB WP GM	8.4 W
911401550841	DN590B LED15/840 PSD C D150 WH WB WP GM	13.5 W
911401550941	DN591B LED20/830 PSD C D200 WH WB WP GM	18 W
911401551041	DN591B LED20/840 PSD C D200 WH WB WP GM	18 W
911401551141	DN593B LED30/840 PSD C D200 WH WB WP GM	32.5 W
911401551241	DN594B LED40/840 PSD C D200 WH WB WP GM	39.7 W
911401551341	DN589B LED10/830 PSU C D150 WH WB CAU	8.4 W
911401551441	DN589B LED10/840 PSU C D150 WH WB CAU	8.4 W
911401551541	DN590B LED15/840 PSU C D150 WH WB CAU	13.5 W
911401551641	DN591B LED20/830 PSU C D200 WH WB CAU	13.5 W
911401551741	DN591B LED20/840 PSU C D200 WH WB CAU	18 W
911401551841	DN593B LED30/840 PSU C D200 WH WB CAU	18 W
911401551941	DN594B LED40/840 PSU C D200 WH WB CAU	32.5 W
911401552041	DN589B LED10/830 PSD C D150 WH WB CAU	39.7 W
911401552141	DN589B LED10/840 PSD C D150 WH WB CAU	8.4 W
911401552241	DN590B LED15/840 PSD C D150 WH WB CAU	13.5 W
911401552341	DN591B LED20/830 PSD C D200 WH WB CAU	18 W

Order Code	Full Product Name	Initial input power
911401552441	DN591B LED20/840 PSD C D200 WH WB CAU	18 W
911401552541	DN593B LED30/840 PSD C D200 WH WB CAU	32.5 W
911401552641	DN594B LED40/840 PSD C D200 WH WB CAU	39.7 W
911401552741	DN589B LED10/830 PSU C D150 WH WB WP CAU	8.4 W
911401552841	DN589B LED10/840 PSU C D150 WH WB WP CAU	8.4 W
911401552941	DN590B LED15/840 PSU C D150 WH WB WP CAU	13.5 W
911401553041	DN591B LED20/830 PSU C D200 WH WB WP CAU	18 W
911401553141	DN591B LED20/840 PSU C D200 WH WB WP CAU	18 W
911401553241	DN593B LED30/840 PSU C D200 WH WB WP CAU	32.5 W
911401553341	DN594B LED40/840 PSU C D200 WH WB WP CAU	39.7 W
911401553441	DN589B LED10/830 PSD C D150 WH WB WP CAU	8.4 W
911401553541	DN589B LED10/840 PSD C D150 WH WB WP CAU	8.4 W
911401553641	DN590B LED15/840 PSD C D150 WH WB WP CAU	13.5 W
911401553741	DN591B LED20/830 PSD C D200 WH WB WP CAU	18 W
911401553841	DN591B LED20/840 PSD C D200 WH WB WP CAU	18 W
911401553941	DN593B LED30/840 PSD C D200 WH WB WP CAU	32.5 W
911401554041	DN594B LED40/840 PSD C D200 WH WB WP CAU	39.7 W
911401554141	DN590B LED15/830 POE C D150 WH WB GM	14.3 W
911401554241	DN590B LED15/840 POE C D150 WH WB GM	14.3 W
911401554341	DN592B LED25/830 POE C D200 WH WB GM	23 W
911401554441	DN592B LED25/840 POE C D200 WH WB GM	23 W

