



**SmartBright Suspension  
is the most economic  
LED linear solution.  
Quality light with good  
uniformity & visual  
comfort is delivered  
under suspension  
installation.**

### **SmartBright Suspension**

Linear suspension solution with affordable price

#### **Benefits**

- Stylish product look & feel
- Excellent uniformity for light exit window
- Visual Comfort with enough light output

#### **Features**

- System efficacy up to 90lm/W
- Lumen output up to 3000lm/1.2m
- Flicker Free for good on site experience

# SmartBright Suspension

## Application

- Office
- Retail
- Open Area

## Versions



RC095V W12L120

RC095V W12L120

RC095V W07L120

RC095V W07L120

Application Conditions	
Ambient temperature range	-10 to +35 °C
Maximum dim level	Not applicable
Suitable for random switching	No
Approval and Application	
Mech. impact protection code	IK03
Ingress protection code	IP20
Controls and Dimming	
Dimmable	No
General Information	
Beam angle of light source	- °
CE mark	-
Protection class IEC	Safety class I
Driver included	Yes
ENEC mark	-
Flammability mark	-
Glow-wire test	Temperature 650 °C, duration 30 s
Light source replaceable	No
Number of gear units	1 unit
Optic type	Symmetrical
Initial Performance (IEC Compliant)	
Initial chromaticity	≤5
Init. Color Rendering Index	>80
Luminous flux tolerance	+/-10%

## Operating and Electrical

Order Code	Full Product Name	Input Voltage
911401723452	RC095V LED30S/840 PSU W12L120 Black	220 to 240 V
911401723472	RC095V LED30S/865 PSU W12L120 Black	220 to 240 V
911401723512	RC095V LED15S/865 PSU W12L60 Black	220 to 240 V
911401723462	RC095V LED30S/840 PSU W12L120 Grey	220 to 240 V
911401723482	RC095V LED30S/865 PSU W12L120 Grey	220 to 240 V
911401723492	RC095V LED15S/840 PSU W12L60 Black	220 to 240 V
911401723502	RC095V LED15S/840 PSU W12L60 Grey	220 to 240 V
911401723522	RC095V LED15S/865 PSU W12L60 Grey	220 to 240 V
911401723692	RC095V LED30S/830 PSU W12L120 Grey GM	220 to 240 V
911401723702	RC095V LED30S/840 PSU W12L120 Grey GM	220 to 240 V
911401723712	RC095V LED30S/865 PSU W12L120 Grey GM	220 to 240 V
911401723722	RC095V LED15S/830 PSU W12L60 Grey GM	220 to 240 V
911401723732	RC095V LED15S/840 PSU W12L60 Grey GM	220 to 240 V
911401723742	RC095V LED15S/865 PSU W12L60 Grey GM	220 to 240 V
911401723532	RC095V LED26S/840 PSU W07L120 Black	220 to 240 V
911401723552	RC095V LED26S/865 PSU W07L120 Black	220 to 240 V
911401723572	RC095V LED13S/840 PSU W07L60 Black	220 to 240 V
911401723592	RC095V LED13S/865 PSU W07L60 Black	220 to 240 V
911401723542	RC095V LED26S/840 PSU W07L120 Grey	220 to 240 V
911401723562	RC095V LED26S/865 PSU W07L120 Grey	220 to 240 V
911401723582	RC095V LED13S/840 PSU W07L60 Grey	220 to 240 V
911401723602	RC095V LED13S/865 PSU W07L60 Grey	220 to 240 V
911401723632	RC095V LED26S/830 PSU W07L120 Black TW	100 to 240 V
911401723642	RC095V LED26S/830 PSU W07L120 Grey TW	100 to 240 V
911401723652	RC095V LED26S/840 PSU W07L120 Black TW	100 to 240 V
911401723662	RC095V LED26S/840 PSU W07L120 Grey TW	100 to 240 V
911401723672	RC095V LED26S/865 PSU W07L120 Black TW	100 to 240 V
911401723682	RC095V LED26S/865 PSU W07L120 Grey TW	100 to 240 V

## Initial Performance (IEC Compliant)

## SmartBright Suspension

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
911401723452	RC095V LED30S/840 PSU W12L120 Black	4000 K	88 lm/W	3000 lm	34 W
911401723472	RC095V LED30S/865 PSU W12L120 Black	6500 K	88 lm/W	3000 lm	34 W
911401723512	RC095V LED15S/865 PSU W12L60 Black	6500 K	88 lm/W	1500 lm	17 W
911401723462	RC095V LED30S/840 PSU W12L120 Grey	4000 K	88 lm/W	3000 lm	34 W
911401723482	RC095V LED30S/865 PSU W12L120 Grey	6500 K	88 lm/W	1500 lm	17 W
911401723492	RC095V LED15S/840 PSU W12L60 Black	6500 K	88 lm/W	3000 lm	34 W
911401723502	RC095V LED15S/840 PSU W12L60 Grey	4000 K	88 lm/W	1500 lm	17 W
911401723522	RC095V LED15S/865 PSU W12L60 Grey	6500 K	88 lm/W	1500 lm	17 W
911401723692	RC095V LED30S/830 PSU W12L120 Grey GM	6500 K	88 lm/W	3000 lm	34 W
911401723702	RC095V LED30S/840 PSU W12L120 Grey GM	3000 K	88 lm/W	3000 lm	34 W
911401723712	RC095V LED30S/865 PSU W12L120 Grey GM	4000 K	88 lm/W	3000 lm	34 W
911401723722	RC095V LED15S/830 PSU W12L60 Grey GM	6500 K	88 lm/W	3000 lm	34 W
911401723732	RC095V LED15S/840 PSU W12L60 Grey GM	3000 K	88 lm/W	1500 lm	17 W
911401723742	RC095V LED15S/865 PSU W12L60 Grey GM	4000 K	88 lm/W	1500 lm	17 W

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
911401723532	RC095V LED26S/840 PSU W07L120 Black	4000 K	93 lm/W	2600 lm	28 W
911401723552	RC095V LED26S/865 PSU W07L120 Black	6500 K	93 lm/W	2600 lm	28 W
911401723572	RC095V LED13S/840 PSU W07L60 Black	4000 K	93 lm/W	1300 lm	14 W
911401723592	RC095V LED13S/865 PSU W07L60 Black	6500 K	93 lm/W	1300 lm	14 W
911401723542	RC095V LED26S/840 PSU W07L120 Grey	4000 K	93 lm/W	2600 lm	28 W
911401723562	RC095V LED26S/865 PSU W07L120 Grey	6500 K	93 lm/W	2600 lm	28 W
911401723582	RC095V LED13S/840 PSU W07L60 Grey	4000 K	93 lm/W	1300 lm	14 W
911401723602	RC095V LED13S/865 PSU W07L60 Grey	6500 K	93 lm/W	1300 lm	14 W
911401723632	RC095V LED26S/830 PSU W07L120 Black TW	3000 K	93 lm/W	2600 lm	28 W
911401723642	RC095V LED26S/830 PSU W07L120 Grey TW	3000 K	93 lm/W	2600 lm	28 W
911401723652	RC095V LED26S/840 PSU W07L120 Black TW	4000 K	93 lm/W	2600 lm	28 W
911401723662	RC095V LED26S/840 PSU W07L120 Grey TW	4000 K	93 lm/W	2600 lm	28 W
911401723672	RC095V LED26S/865 PSU W07L120 Black TW	6500 K	93 lm/W	2600 lm	28 W
911401723682	RC095V LED26S/865 PSU W07L120 Grey TW	6500 K	93 lm/W	2600 lm	28 W

### Mechanical and Housing

Order Code	Full Product Name	Color
911401723452	RC095V LED30S/840 PSU W12L120 Black	black
911401723472	RC095V LED30S/865 PSU W12L120 Black	black
911401723512	RC095V LED15S/865 PSU W12L60 Black	black
911401723462	RC095V LED30S/840 PSU W12L120 Grey	Gray

Order Code	Full Product Name	Color
911401723482	RC095V LED30S/865 PSU W12L120 Grey	Gray
911401723492	RC095V LED15S/840 PSU W12L60 Black	Gray
911401723502	RC095V LED15S/840 PSU W12L60 Grey	Gray
911401723522	RC095V LED15S/865 PSU W12L60 Grey	Gray

## SmartBright Suspension

Order Code	Full Product Name	Color	Order Code	Full Product Name	Color
911401723692	RC095V LED30S/830 PSU W12L120 Grey GM	Gray	911401723542	RC095V LED26S/840 PSU W07L120 Grey	Gray
911401723702	RC095V LED30S/840 PSU W12L120 Grey GM	Gray	911401723562	RC095V LED26S/865 PSU W07L120 Grey	Gray
911401723712	RC095V LED30S/865 PSU W12L120 Grey GM	Gray	911401723582	RC095V LED13S/840 PSU W07L60 Grey	Gray
911401723722	RC095V LED15S/830 PSU W12L60 Grey GM	Gray	911401723602	RC095V LED13S/865 PSU W07L60 Grey	Gray
911401723732	RC095V LED15S/840 PSU W12L60 Grey GM	Gray	911401723632	RC095V LED26S/830 PSU W07L120 Black TW	black
911401723742	RC095V LED15S/865 PSU W12L60 Grey GM	Gray	911401723642	RC095V LED26S/830 PSU W07L120 Grey TW	Gray
911401723532	RC095V LED26S/840 PSU W07L120 Black	black	911401723652	RC095V LED26S/840 PSU W07L120 Black TW	black
911401723552	RC095V LED26S/865 PSU W07L120 Black	black	911401723662	RC095V LED26S/840 PSU W07L120 Grey TW	Gray
911401723572	RC095V LED13S/840 PSU W07L60 Black	black	911401723672	RC095V LED26S/865 PSU W07L120 Black TW	black
911401723592	RC095V LED13S/865 PSU W07L60 Black	black	911401723682	RC095V LED26S/865 PSU W07L120 Grey TW	Gray

