

LED Marker

BBG150/151/152

Combining a simple design with reliable lighting performance, this low-cost white-light LED marker delivers a glare-free soft light effect. It creates an appealing ambience at minimum cost, without compromising on the quality of the lighting.

Benefits



Reliable, robust design



Easy installation and maintenance-free



Environmentally friendly: no hazardous substances (no mercury, no lead) or UV

Suggested application

- Parks, gardens, and promenades
- · Residential areas
- · City centers + squares















Technical specifications


Model	BBG150	BBG151	BBG152
Light source	30 low power LEDs		
System lumen	WW: 50lm; NW: 55lm		
System power	3W		
Color temperature	3000K (WW)/ 4000K (NW)		
CRI	NW>75; WW>80		
Driver	220-240V/50-60Hz, integrated		
Working temperature	-20°C < Ta < 40°C		
Resistance to heat and fire	GWT=850°C for plastic parts		
Installation	Inground recessed mounting; M16 cable gland; Connector in 3 poles		
Material &finishing	Housing: Die-cast aluminum; Surface cover: Brushed stainless; Diffuser: Tempered glass; Mounting box: Plastic; Housing: Dark grey (RAL 7043); Surface cover: Brushed stainless		
Dimensions (LxWxH),	175 x 99 x 115mm	142 x 142 x 137mm	φ153 x 137mm
weight	1.06kg	0.97kg	O.94kg
Certifications	CCC		













Philips Electronics Vietnam Co., Ltd.

R301, Amata Service Center, Amata Industrial Park, Long Binh Ward, Bien Hoa City, Dong Nai Province 2: (251) 3 991616 | Fax: (251) 3 991618

Ho Chi Minh City

12th floor, A&B Tower, 76 Le Lai Street, District 1 ☎: (84 28) 3 9111508 | Fax: (84 28) 3 9111510

Hanoi

10th floor, TTC Building, 19 Duy Tan Street, Cau Giay District **2**: (84 24) 3 7346484 | Fax: (84 24) 3 7346482

Website: www.philips.com.vn