



**PHILIPS**

Professional lighting

Outdoor & Public



Lighting up cities  
**safely and  
efficiently**

# Tango mini LED

## BVP280

A general purpose LED flood lighting luminaire for various lighting applications. Its specially designed heat sink incorporates aesthetics and functionality to ensure reliability and long lifetime. LED technology provides energy savings and a longer lifetime.

### Benefits

- Energy savings up to 40% compared to conventional HID/SON systems.
- Robustness, vibration-proof, wind force protection, and with anti-corrosion spray paint.
- Suitable for customers looking to reduce electricity bill.

### Suggested application

- Area lighting + Billboard + Façade
- Architecture + Landscape + Industrial area
- Security + Parking lot + Parks.



### Technical specifications

Model	BVP280
System lumen	4,400lm (NW/CW)/4,000lm (WW)
System power	40W
System efficacy	110lm/W (NW&CW); 100lm/W (WW)
Color temperature	3000K/4000K/5700K
Optics	AMB/SWB/SMB
Surge protection	10kV
Working temperature	-40°C to 50°C
Installation	U-shaped bracket
Material & finishing	Die-casting aluminum housing; 0.6m Flying wire; RAL 9007
Dimensions (L x W x H), weight	254 x 240 x 47 mm, 3kg

CRI  
70220-240V  
50/60HzPF  
0.9550,000  
HIP 65  
IK 07

High  
performance  
in  
compact size

**Note:** Product specifications can be changed without prior notice.



## **Philips Electronics Vietnam Co., Ltd.**

R301, Amata Service Center, Amata Industrial Park, Long Binh Ward, Bien Hoa City, Dong Nai Province  
☎: (251) 3 991616 | Fax: (251) 3 991618

### **Ho Chi Minh City**

12<sup>th</sup> floor, A&B Tower, 76 Le Lai Street, District 1  
☎: (84 28) 3 9111508 | Fax: (84 28) 3 9111510

### **Hanoi**

10<sup>th</sup> floor, TTC Building, 19 Duy Tan Street, Cau Giay District  
☎: (84 24) 3 7346484 | Fax: (84 24) 3 7346482

Website: [www.philips.com.vn](http://www.philips.com.vn)