

The Philips logo is displayed in blue capital letters on a white background.

Indoor Lighting

SmartBright Slim Panel  
G2



# More Reliable, More Professional

The most affordable LED solution for office

The SmartBright Slim Panel G2 is the most economic LED solution which delivers qualified & reliable illumination on the working areas within long lifetime, creating a brighter and healthier office environment. The complete product family offers a variety of dimensions and installations, covering wide potential applications.

## Features and benefits

- Slim & elegant design – The height of luminaire 8mm
- PMMA as LG material – Strong anti-yellowish performance within lifetime
- System efficacy 90lm/W, Energy saving 50% compared with TL troffer
- Full window illumination – deliver comfortable light with excellent uniformity
- Recessed, suspended, plaster ceiling (PCV) - Multiple mounting to cater various applications
- 1 on 1 replacement over TL troffer – The most affordable LED solution


## Application

- Open office | Meeting room
- Circulation area | Hospital | Library

# Product Data

Types	RC091 LED26S	RC091 LED36S
Lumen Output	2600lm	3600lm
System Power	29W	40W
System efficacy	90lm/W	90lm/W
CCT	CW (6500K)/ NW (4000K)	
CRI	≥80	
Color consistency	≤ 5 SDCM	
IP rating	IP20	
Classification	Class II	
Operation Temperature	-10°C to +35°C (Ta25°C)	
Lifetime (hrs)	25,000hrs L70B50 @25°C	
Optics	Symmetric	
Input Voltage	220-240V, 50/60 Hz	
Power factor	≥0.9	
Mounting / Installation	Recessed/Suspended, PCV (to be ordered as separate accessory)	
Housing	Metal housing with white painting, PMMA Light Guide, PS diffuser	
Dimensions	597x597mm, 297x1197mm	
Height	Luminaire: 8mm (without mounting accessories) Luminaire + driver: 31.5mm	
Weight	597x597: 2.0Kg 297x1197: 2.3Kg	
Packaging	TR version, 4pcs in one master box, no individual inner packaging MR version, 4pcs in one master box, colored individual inner packaging	
Certificate	CB/EMC/CE	

## Photometry



# Order Info

## TR version

Commercial Code	Product Description	Comment
911401723772	RC091V LED26S/840 PSU W60L60 GM G2	4pcs in 1, no individual packaging box
911401723782	RC091V LED26S/865 PSU W60L60 GM G2	4pcs in 1, no individual packaging box
911401723792	RC091V LED26S/840 PSU W30L120 GM G2	4pcs in 1, no individual packaging box
911401723802	RC091V LED26S/865 PSU W30L120 GM G2	4pcs in 1, no individual packaging box
911401723812	RC091V LED36S/840 PSU W60L60 GM G2	4pcs in 1, no individual packaging box
911401723822	RC091V LED36S/865 PSU W60L60 GM G2	4pcs in 1, no individual packaging box
911401723832	RC091V LED36S/840 PSU W30L120 GM G2	4pcs in 1, no individual packaging box
911401723842	RC091V LED36S/865 PSU W30L120 GM G2	4pcs in 1, no individual packaging box
911401724072	RC091V LED26S/840 PSU W60L60 TW	2pcs in 1, industrial individual inner box
911401724082	RC091V LED26S/865 PSU W60L60 TW	2pcs in 1, industrial individual inner box
911401724092	RC091V LED36S/840 PSU W60L60 TW	2pcs in 1, industrial individual inner box
911401724102	RC091V LED36S/865 PSU W60L60 TW	2pcs in 1, industrial individual inner box
911401724582	RC091V LED36S/840 PSU W60L60 TW S1	2pcs in 1, industrial individual inner box
911401724592	RC091V LED36S/865 PSU W60L60 TW S1	2pcs in 1, industrial individual inner box
911401724242	RC091Z PCV Accessory	4pcs as one set, suitable for one luminaire, 12sets as MOQ

## MR version

911401723852	RC091V LED26S/840 PSU W60L60 GM G2 MR	4pcs in 1, colored individual inner box
911401723862	RC091V LED26S/865 PSU W60L60 GM G2 MR	4pcs in 1, colored individual inner box
911401723872	RC091V LED26S/840 PSU W30L120 GM G2 MR	4pcs in 1, colored individual inner box
911401723882	RC091V LED26S/865 PSU W30L120 GM G2 MR	4pcs in 1, colored individual inner box
911401723892	RC091V LED36S/840 PSU W60L60 GM G2 MR	4pcs in 1, colored individual inner box
911401723902	RC091V LED36S/865 PSU W60L60 GM G2 MR	4pcs in 1, colored individual inner box
911401723912	RC091V LED36S/840 PSU W30L120 GM G2 MR	4pcs in 1, colored individual inner box
911401723922	RC091V LED36S/865 PSU W30L120 GM G2 MR	4pcs in 1, colored individual inner box
911401727172	RC091V LED36S/865 PSU W30L120 G2 MR PCV	4pcs in 1, colored individual inner box PCV clips & screws inside
911401727162	RC091V LED36S/840 PSU W30L120 G2 MR PCV	4pcs in 1, colored individual inner box PCV clips & screws inside
911401727152	RC091V LED36S/865 PSU W60L60 G2 MR PCV	4pcs in 1, colored individual inner box PCV clips & screws inside
911401727142	RC091V LED36S/840 PSU W60L60 G2 MR PCV	4pcs in 1, colored individual inner box PCV clips & screws inside
911401727132	RC091V LED26S/865 PSU W30L120 G2 MR PCV	4pcs in 1, colored individual inner box PCV clips & screws inside
911401727122	RC091V LED26S/840 PSU W30L120 G2 MR PCV	4pcs in 1, colored individual inner box PCV clips & screws inside
911401727112	RC091V LED26S/865 PSU W60L60 G2 MR PCV	4pcs in 1, colored individual inner box PCV clips & screws inside
911401727102	RC091V LED26S/840 PSU W60L60 G2 MR PCV	4pcs in 1, colored individual inner box PCV clips & screws inside



© 2018 Koninklijke Philips N.V. All rights reserved. Philips reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.